

Nieuw artikelnummer	EAN code ds	EAN code overdoos	Artikelnaam	Nieuw ds aantal	Nieuw overds aantal		DTL artikel nr	EAN code ds DTL	EAN code overds DTL	DTL ds aantal	DTL overds aantal
301.30012.1022	8712543046828	8712543046835	Spaanplaatschroeven platkop 3.0 x 12 staal gehard verzinkt	200	6.000	vs	201.30012.1022	8712543612245	8712543700003	200	21.000
301.30012.1122	8712543046842	8712543046859	Spaanplaatschroeven platkop 3.0 x 12 staal gehard geel	200	6.000	vs	201.30012.1122	8712543624002	8712543700010	200	21.000
301.30016.1022	8712543618995	8712543619008	Spaanplaatschroeven platkop 3.0 x 16 staal gehard verzinkt	200	6.000	vs	201.30016.1022	8712543612337	8712543700027	200	21.000
301.30016.1122	8712543046866	8712543046873	Spaanplaatschroeven platkop 3.0 x 16 staal gehard geel	200	6.000	vs	201.30016.1122	8712543624019	8712543700034	200	21.000
301.30020.1022	8712543046880	8712543046897	Spaanplaatschroeven platkop 3.0 x 20 staal gehard verzinkt	200	6.000	vs	201.30020.1022	8712543612368	8712543700041	200	21.000
301.30020.1122	8712543046903	8712543046910	Spaanplaatschroeven platkop 3.0 x 20 staal gehard geel	200	6.000	vs	201.30020.1122	8712543624026	8712543700058	200	21.000
301.30025.1022	8712543046927	8712543046934	Spaanplaatschroeven platkop 3.0 x 25 staal gehard verzinkt	200	6.000	vs	201.30025.1022	8712543612443	8712543700065	200	9.600
301.30025.1122	8712543046941	8712543046958	Spaanplaatschroeven platkop 3.0 x 25 staal gehard geel	200	6.000	vs	201.30025.1122	8712543624033	8712543700072	200	9.600
301.30030.1022	8712543619015	8712543619022	Spaanplaatschroeven platkop 3.0 x 30 staal gehard verzinkt	200	6.000	vs	201.30030.1022	8712543612559	8712543700089	200	9.600
301.30030.1122	8712543046965	8712543046972	Spaanplaatschroeven platkop 3.0 x 30 staal gehard geel	200	6.000	vs	201.30030.1122	8712543624040	8712543700096	200	9.600
301.30035.1022	8712543046989	8712543046996	Spaanplaatschroeven platkop 3.0 x 35 staal gehard verzinkt	200	6.000	vs	201.30035.1022	8712543612627	8712543700102	200	9.600
301.30035.1122	8712543047009	8712543047016	Spaanplaatschroeven platkop 3.0 x 35 staal gehard geel	200	6.000	vs	201.30035.1122	8712543624057	8712543700119	200	9.600
301.30040.1022	8712543047023	8712543047030	Spaanplaatschroeven platkop 3.0 x 40 staal gehard verzinkt	200	6.000	vs	201.30040.1022	8712543612634	8712543700126	200	9.600
301.30040.1122	8712543047047	8712543047054	Spaanplaatschroeven platkop 3.0 x 40 staal gehard geel	200	6.000	vs	201.30040.1122	8712543624064	8712543700133	200	9.600
301.30045.1022	8712543047061	8712543047078	Spaanplaatschroeven platkop 3.0 x 45 staal gehard verzinkt	200	6.000	vs	201.30045.1022	8712543623425	8712543700140	200	9.600
301.35012.1022	8712543047085	8712543047092	Spaanplaatschroeven platkop 3.5 x 12 staal gehard verzinkt	200	6.000	vs	201.35012.1022	8712543612665	8712543700157	200	21.000
301.35012.1122	8712543047108	8712543047115	Spaanplaatschroeven platkop 3.5 x 12 staal gehard geel	200	6.000	vs	201.35012.1122	8712543624071	8712543700164	200	21.000
301.35016.1022	8712543047122	8712543047139	Spaanplaatschroeven platkop 3.5 x 16 staal gehard verzinkt	200	6.000	vs	201.35016.1022	8712543612672	8712543700171	200	21.000
301.35016.1122	8712543047146	8712543047153	Spaanplaatschroeven platkop 3.5 x 16 staal gehard geel	200	6.000	vs	201.35016.1122	8712543624088	8712543700188	200	21.000
301.35020.1022	8712543047160	8712543047177	Spaanplaatschroeven platkop 3.5 x 20 staal gehard verzinkt	200	6.000	vs	201.35020.1022	8712543612801	8712543700195	200	21.000
301.35020.1122	8712543047184	8712543047191	Spaanplaatschroeven platkop 3.5 x 20 staal gehard geel	200	6.000	vs	201.35020.1122	8712543624095	8712543700201	200	21.000
301.35025.1022	8712543619039	8712543619046	Spaanplaatschroeven platkop 3.5 x 25 staal gehard verzinkt	200	6.000	vs	201.35025.1022	8712543612979	8712543700218	200	9.600
301.35025.1122	8712543047207	8712543047214	Spaanplaatschroeven platkop 3.5 x 25 staal gehard geel	200	6.000	vs	201.35025.1122	8712543624101	8712543700225	200	9.600
301.35030.1022	8712543619053	8712543619060	Spaanplaatschroeven platkop 3.5 x 30 staal gehard verzinkt	200	6.000	vs	201.35030.1022	8712543613068	8712543700232	200	9.600
301.35030.1122	8712543047221	8712543047238	Spaanplaatschroeven platkop 3.5 x 30 staal gehard geel	200	6.000	vs	201.35030.1122	8712543624118	8712543700249	200	9.600
301.35035.1022	8712543619077	8712543619084	Spaanplaatschroeven platkop 3.5 x 35 staal gehard verzinkt	200	6.000	vs	201.35035.1022	8712543613099	8712543700256	200	9.600
301.35035.1122	8712543047245	8712543047252	Spaanplaatschroeven platkop 3.5 x 35 staal gehard geel	200	6.000	vs	201.35035.1122	8712543624125	8712543700263	200	9.600
301.35040.1022	8712543619091	8712543619107	Spaanplaatschroeven platkop 3.5 x 40 staal gehard verzinkt	200	6.000	vs	201.35040.1022	8712543613174	8712543700270	200	7.200
301.35040.1122	8712543047269	8712543047276	Spaanplaatschroeven platkop 3.5 x 40 staal gehard geel	200	6.000	vs	201.35040.1122	8712543624132	8712543700287	200	7.200
301.35045.1022	8712543047283	8712543047290	Spaanplaatschroeven platkop 3.5 x 45 staal gehard verzinkt	200	6.000	vs	201.35045.1022	8712543613280	8712543700294	200	7.200
301.35045.1122	8712543047306	8712543047313	Spaanplaatschroeven platkop 3.5 x 45 staal gehard geel	200	6.000	vs	201.35045.1122	8712543624149	8712543700300	200	7.200
301.35050.1022	8712543047320	8712543047337	Spaanplaatschroeven platkop 3.5 x 50 staal gehard verzinkt	200	6.000	vs	201.35050.1022	8712543613358	8712543700317	200	2.400
301.35050.1122	8712543047344	8712543047351	Spaanplaatschroeven platkop 3.5 x 50 staal gehard geel	200	6.000	vs	201.35050.1122	8712543624156	8712543700324	200	2.400
301.40012.1022	8712543047368	8712543047375	Spaanplaatschroeven platkop 4.0 x 12 staal gehard verzinkt	200	6.000	vs	201.40012.1022	8712543613365	8712543700331	200	21.000
301.40012.1122	8712543047382	8712543047399	Spaanplaatschroeven platkop 4.0 x 12 staal gehard geel	200	6.000	vs	201.40012.1122	8712543624163	8712543700348	200	21.000
301.40016.1022	8712543047405	8712543047412	Spaanplaatschroeven platkop 4.0 x 16 staal gehard verzinkt	200	6.000	vs	201.40016.1022	8712543613396	8712543700355	200	21.000
301.40016.1122	8712543047429	8712543047436	Spaanplaatschroeven platkop 4.0 x 16 staal gehard geel	200	6.000	vs	201.40016.1122	8712543624170	8712543700362	200	21.000
301.40017.1022	8712543047443	8712543047450	Spaanplaatschroeven platkop 4.0 x 17 staal gehard verzinkt	200	6.000	vs	201.40017.1022	8712543010935	8712543014490	200	21.000
301.40020.1022	8712543047467	8712543047474	Spaanplaatschroeven platkop 4.0 x 20 staal gehard verzinkt	200	6.000	vs	201.40020.1022	8712543613402	8712543700379	200	12.000
301.40020.1122	8712543047481	8712543047498	Spaanplaatschroeven platkop 4.0 x 20 staal gehard geel	200	6.000	vs	201.40020.1122	8712543624187	8712543700386	200	12.000
301.40025.1022	8712543047504	8712543047511	Spaanplaatschroeven platkop 4.0 x 25 staal gehard verzinkt	200	6.000	vs	201.40025.1022	8712543613532	8712543700393	200	9.600
301.40025.1122	8712543047528	8712543047535	Spaanplaatschroeven platkop 4.0 x 25 staal gehard geel	200	6.000	vs	201.40025.1122	8712543624194	8712543700409	200	9.600
301.40030.1022	8712543619114	8712543619121	Spaanplaatschroeven platkop 4.0 x 30 staal gehard verzinkt	200	6.000	vs	201.40030.1022	8712543612085	8712543700416	200	9.600
301.40030.1122	8712543047542	8712543047559	Spaanplaatschroeven platkop 4.0 x 30 staal gehard geel	200	6.000	vs	201.40030.1122	8712543624200	8712543700423	200	9.600
301.40035.1022	8712543047566	8712543047573	Spaanplaatschroeven platkop 4.0 x 35 staal gehard verzinkt	200	6.000	vs	201.40035.1022	8712543612092	8712543700430	200	7.200
301.40035.1122	8712543047580	8712543047597	Spaanplaatschroeven platkop 4.0 x 35 staal gehard geel	200	6.000	vs	201.40035.1122	8712543624217	8712543700447	200	7.200
301.40040.1022	8712543619138	8712543619145	Spaanplaatschroeven platkop 4.0 x 40 staal gehard verzinkt	200	6.000	vs	201.40040.1022	8712543612108	8712543700454	200	7.200
301.40040.1122	8712543047603	8712543047610	Spaanplaatschroeven platkop 4.0 x 40 staal gehard geel	200	6.000	vs	201.40040.1122	8712543624224	8712543700461	200	7.200
301.40045.1022	8712543047627	8712543047634	Spaanplaatschroeven platkop 4.0 x 45 staal gehard verzinkt	200	6.000	vs	201.40045.1022	8712543612115	8712543700478	200	2.400
301.40045.1122	8712543047641	8712543047658	Spaanplaatschroeven platkop 4.0 x 45 staal gehard geel	200	6.000	vs	201.40045.1122	8712543624231	8712543700485	200	2.400
301.40050.1022	8712543619152	8712543619169	Spaanplaatschroeven platkop 4.0 x 50 staal gehard verzinkt	200	6.000	vs	201.40050.1022	8712543612122	8712543700492	200	2.400
301.40050.1122	8712543047665	8712543047672	Spaanplaatschroeven platkop 4.0 x 50 staal gehard geel	200	6.000	vs	201.40050.1122	8712543624248	8712543700508	200	2.400
301.40055.1022	8712543047689	8712543047696	Spaanplaatschroeven platkop 4.0 x 55 staal gehard verzinkt	200	4.000	vs	201.40055.1022	8712543612139	8712543700515	200	2.400
301.40055.1122	8712543047702	8712543047719	Spaanplaatschroeven platkop 4.0 x 55 staal gehard geel	200	4.000	vs	201.40055.1122	8712543624255	8712543700522	200	2.400
301.40060.1022	8712543619176	8712543619183	Spaanplaatschroeven platkop 4.0 x 60 staal gehard verzinkt	200	4.000	vs	201.40060.1022	8712543612146	8712543700539	200	2.400

Nieuw artikelnummer	EAN code EAN code ds	EAN code overdoos	Artikelnaam	Nieuw ds aantal	Nieuw overds aantal	DTL		EAN code overds DTL	DTL ds aantal	DTL overds aantal	
						DTL artikel nr	EAN code ds DTL				
301.40060.1122	8712543047726	8712543047733	Spaanplaatschroeven platkop 4.0 x 60 staal gehard geel	200	4.000	vs	201.40060.1122	8712543624262	8712543700546	200	2.400
301.45016.1022	8712543047740	8712543047757	Spaanplaatschroeven platkop 4.5 x 16 staal gehard verzinkt	200	6.000	vs	201.45016.1022	8712543612160	8712543700553	200	9.600
301.45016.1122	8712543047764	8712543047771	Spaanplaatschroeven platkop 4.5 x 16 staal gehard geel	200	6.000	vs	201.45016.1122	8712543624279	8712543700560	200	9.600
301.45020.1022	8712543047788	8712543047795	Spaanplaatschroeven platkop 4.5 x 20 staal gehard verzinkt	200	6.000	vs	201.45020.1022	8712543612177	8712543700577	200	9.600
301.45020.1122	8712543047801	8712543047818	Spaanplaatschroeven platkop 4.5 x 20 staal gehard geel	200	6.000	vs	201.45020.1122	8712543624286	8712543700584	200	9.600
301.45025.1022	8712543047825	8712543047832	Spaanplaatschroeven platkop 4.5 x 25 staal gehard verzinkt	200	6.000	vs	201.45025.1022	8712543612184	8712543700591	200	9.600
301.45025.1122	8712543047849	8712543047856	Spaanplaatschroeven platkop 4.5 x 25 staal gehard geel	200	6.000	vs	201.45025.1122	8712543624293	8712543700607	200	9.600
301.45030.1022	8712543047863	8712543047870	Spaanplaatschroeven platkop 4.5 x 30 staal gehard verzinkt	200	6.000	vs	201.45030.1022	8712543612191	8712543700614	200	7.200
301.45030.1122	8712543047887	8712543047894	Spaanplaatschroeven platkop 4.5 x 30 staal gehard geel	200	6.000	vs	201.45030.1122	8712543624309	8712543700621	200	7.200
301.45035.1022	8712543047900	8712543047917	Spaanplaatschroeven platkop 4.5 x 35 staal gehard verzinkt	200	6.000	vs	201.45035.1022	8712543612207	8712543700638	200	7.200
301.45035.1122	8712543047924	8712543047931	Spaanplaatschroeven platkop 4.5 x 35 staal gehard geel	200	6.000	vs	201.45035.1122	8712543624316	8712543700645	200	7.200
301.45040.1022	8712543619190	8712543619206	Spaanplaatschroeven platkop 4.5 x 40 staal gehard verzinkt	200	4.000	vs	201.45040.1022	8712543612214	8712543700652	200	2.400
301.45040.1122	8712543047948	8712543047955	Spaanplaatschroeven platkop 4.5 x 40 staal gehard geel	200	4.000	vs	201.45040.1122	8712543624323	8712543700669	200	2.400
301.45045.1022	8712543619213	8712543619220	Spaanplaatschroeven platkop 4.5 x 45 staal gehard verzinkt	200	4.000	vs	201.45045.1022	8712543612221	8712543700676	200	2.400
301.45045.1122	8712543047962	8712543047979	Spaanplaatschroeven platkop 4.5 x 45 staal gehard geel	200	4.000	vs	201.45045.1122	8712543624330	8712543700683	200	2.400
301.45050.1022	8712543619237	8712543619244	Spaanplaatschroeven platkop 4.5 x 50 staal gehard verzinkt	200	4.000	vs	201.45050.1022	8712543612238	8712543700690	200	2.400
301.45050.1122	8712543047986	8712543047993	Spaanplaatschroeven platkop 4.5 x 50 staal gehard geel	200	4.000	vs	201.45050.1122	8712543624347	8712543700706	200	2.400
301.45055.1022	8712543048006	8712543048013	Spaanplaatschroeven platkop 4.5 x 55 staal gehard verzinkt	200	4.000	vs	201.45055.1022	8712543612252	8712543700713	200	2.400
301.45055.1122	8712543048020	8712543048037	Spaanplaatschroeven platkop 4.5 x 55 staal gehard geel	200	4.000	vs	201.45055.1122	8712543624354	8712543700720	200	2.400
301.45060.1022	8712543048044	8712543048051	Spaanplaatschroeven platkop 4.5 x 60 staal gehard verzinkt	200	4.000	vs	201.45060.1022	8712543612269	8712543700737	200	2.400
301.45060.1122	8712543048068	8712543048075	Spaanplaatschroeven platkop 4.5 x 60 staal gehard geel	200	4.000	vs	201.45060.1122	8712543624361	8712543700744	200	2.400
301.50020.1022	8712543048082	8712543048099	Spaanplaatschroeven platkop 5.0 x 20 staal gehard verzinkt	200	6.000	vs	201.50020.1022	8712543612290	8712543700751	200	9.600
301.50020.1122	8712543048105	8712543048112	Spaanplaatschroeven platkop 5.0 x 20 staal gehard geel	200	6.000	vs	201.50020.1122	8712543624378	8712543700768	200	9.600
301.50025.1022	8712543048129	8712543048136	Spaanplaatschroeven platkop 5.0 x 25 staal gehard verzinkt	200	6.000	vs	201.50025.1022	8712543612306	8712543700775	200	9.600
301.50025.1122	8712543048143	8712543048150	Spaanplaatschroeven platkop 5.0 x 25 staal gehard geel	200	6.000	vs	201.50025.1122	8712543624385	8712543700782	200	9.600
301.50030.1022	8712543048167	8712543048174	Spaanplaatschroeven platkop 5.0 x 30 staal gehard verzinkt	200	6.000	vs	201.50030.1022	8712543612313	8712543700799	200	7.200
301.50030.1122	8712543048181	8712543048198	Spaanplaatschroeven platkop 5.0 x 30 staal gehard geel	200	6.000	vs	201.50030.1122	8712543624392	8712543700806	200	7.200
301.50035.1022	8712543048204	8712543048211	Spaanplaatschroeven platkop 5.0 x 35 staal gehard verzinkt	200	4.000	vs	201.50035.1022	8712543612320	8712543700812	200	7.200
301.50035.1122	8712543048228	8712543048235	Spaanplaatschroeven platkop 5.0 x 35 staal gehard geel	200	4.000	vs	201.50035.1122	8712543624408	8712543700829	200	7.200
301.50040.1022	8712543048242	8712543048259	Spaanplaatschroeven platkop 5.0 x 40 staal gehard verzinkt	200	4.000	vs	201.50040.1022	8712543612344	8712543700836	200	2.400
301.50040.1122	8712543048266	8712543048273	Spaanplaatschroeven platkop 5.0 x 40 staal gehard geel	200	4.000	vs	201.50040.1122	8712543624415	8712543700843	200	2.400
301.50045.1022	8712543048280	8712543048297	Spaanplaatschroeven platkop 5.0 x 45 staal gehard verzinkt	200	4.000	vs	201.50045.1022	8712543612351	8712543700850	200	2.400
301.50045.1122	8712543048303	8712543048310	Spaanplaatschroeven platkop 5.0 x 45 staal gehard geel	200	4.000	vs	201.50045.1122	8712543624422	8712543700867	200	2.400
301.50050.1022	8712543619251	8712543619268	Spaanplaatschroeven platkop 5.0 x 50 staal gehard verzinkt	200	2.000	vs	201.50050.1022	8712543612375	8712543700874	200	2.400
301.50050.1122	8712543048327	8712543048334	Spaanplaatschroeven platkop 5.0 x 50 staal gehard geel	200	2.000	vs	201.50050.1122	8712543624439	8712543700881	200	2.400
301.50055.1022	8712543048341	8712543048358	Spaanplaatschroeven platkop 5.0 x 55 staal gehard verzinkt	200	2.000	vs	201.50055.1022	8712543612382	8712543700898	200	2.400
301.50055.1122	8712543048365	8712543048372	Spaanplaatschroeven platkop 5.0 x 55 staal gehard geel	200	2.000	vs	201.50055.1122	8712543624446	8712543700904	200	2.400
301.50060.1022	8712543619275	8712543619282	Spaanplaatschroeven platkop 5.0 x 60 staal gehard verzinkt	200	2.000	vs	201.50060.1022	8712543612399	8712543700911	200	2.400
301.50060.1122	8712543048389	8712543048396	Spaanplaatschroeven platkop 5.0 x 60 staal gehard geel	200	2.000	vs	201.50060.1122	8712543624453	8712543700928	200	2.400
301.60030.1022	8712543048402	8712543048419	Spaanplaatschroeven platkop 6.0 x 30 staal gehard verzinkt	100	3.000	vs	201.60030.1020	8712543612474	8712543700935	100	3.600
301.60030.1120	8712543058777	8712543058784	Spaanplaatschroeven platkop 6.0 x 30 staal gehard geel	100	3.000	vs	201.60030.1120	8712543624460	8712543700942	100	3.600
301.60040.1020	8712543048426	8712543048433	Spaanplaatschroeven platkop 6.0 x 40 staal gehard verzinkt	100	3.000	vs	201.60040.1020	8712543612481	8712543700959	100	3.600
301.60040.1120	8712543048440	8712543048457	Spaanplaatschroeven platkop 6.0 x 40 staal gehard geel	100	3.000	vs	201.60040.1120	8712543624477	8712543700966	100	3.600
301.60045.1020	8712543048464	8712543048471	Spaanplaatschroeven platkop 6.0 x 45 staal gehard verzinkt	100	2.000	vs	201.60045.1020	8712543612498	8712543700973	100	3.600
301.60045.1120	8712543058791	8712543058807	Spaanplaatschroeven platkop 6.0 x 45 staal gehard geel	100	2.000	vs	201.60045.1120	8712543624484	8712543700980	100	3.600
301.60050.1020	8712543048488	8712543048495	Spaanplaatschroeven platkop 6.0 x 50 staal gehard verzinkt	100	2.000	vs	201.60050.1020	8712543612504	8712543700997	100	1.200
301.60050.1120	8712543048501	8712543048518	Spaanplaatschroeven platkop 6.0 x 50 staal gehard geel	100	2.000	vs	201.60050.1120	8712543624491	8712543701000	100	1.200
301.60055.1020	8712543048525	8712543048532	Spaanplaatschroeven platkop 6.0 x 55 staal gehard verzinkt	100	2.000	vs	201.60055.1020	8712543612511	8712543701017	100	1.200
301.60055.1120	8712543058814	8712543058821	Spaanplaatschroeven platkop 6.0 x 55 staal gehard geel	100	2.000	vs	201.60055.1120	8712543624507	8712543701024	100	1.200
301.60060.1020	8712543619299	8712543619306	Spaanplaatschroeven platkop 6.0 x 60 staal gehard verzinkt	100	2.000	vs	201.60060.1020	8712543612528	8712543701031	100	1.200
301.60060.1120	8712543048549	8712543048556	Spaanplaatschroeven platkop 6.0 x 60 staal gehard geel	100	2.000	vs	201.60060.1120	8712543624514	8712543701048	100	1.200
302.40040.1122	8712543048563	8712543048570	Spaanplaatschroeven platkop 4.0 x 40 staal gehard geel	200	6.000	vs	202.40040.1122	8712543624521	8712543701055	200	7.200
302.40045.1122	8712543048587	8712543048594	Spaanplaatschroeven platkop 4.0 x 45 staal gehard geel	200	6.000	vs	202.40045.1122	8712543624538	8712543701062	200	2.400
302.40050.1022	8712543048600	8712543048617	Spaanplaatschroeven platkop 4.0 x 50 staal gehard verzinkt	200	6.000	vs	202.40050.1022	8712543010959	8712543014513	200	2.400
302.40070.1022	8712543048624	8712543048631	Spaanplaatschroeven platkop 4.0 x 70 staal gehard verzinkt	200	4.000	vs	202.40070.1022	8712543624552	8712543701086	200	2.200

Nieuw artikelnummer	EAN code EAN code ds	EAN code overdoos	Artikelnaam	Nieuw ds aantal	Nieuw overds aantal		DTL artikel nr	EAN code ds DTL	EAN code overds DTL	DTL ds aantal	DTL overds aantal
302.40070.1122	8712543048648	8712543048655	Spaanplaatschroeven platkop 4.0 x 70 staal gehard geel	200	4.000	vs	202.40070.1122	8712543624569	8712543701093	200	2.200
302.45050.1122	8712543048662	8712543048679	Spaanplaatschroeven platkop 4.5 x 50 staal gehard geel	200	4.000	vs	202.45050.1122	8712543624576	8712543701109	200	2.400
302.45060.1122	8712543048686	8712543048693	Spaanplaatschroeven platkop 4.5 x 60 staal gehard geel	200	4.000	vs	202.45060.1122	8712543624583	8712543701116	200	2.400
302.45070.1022	8712543048709	8712543048716	Spaanplaatschroeven platkop 4.5 x 70 staal gehard verzinkt	200	2.000	vs	202.45070.1022	8712543624590	8712543701123	200	2.200
302.45070.1122	8712543048723	8712543048730	Spaanplaatschroeven platkop 4.5 x 70 staal gehard geel	200	2.000	vs	202.45070.1122	8712543624606	8712543701130	200	2.200
302.45080.1022	8712543048747	8712543048754	Spaanplaatschroeven platkop 4.5 x 80 staal gehard verzinkt	200	2.000	vs	202.45080.1022	8712543624613	8712543701147	200	2.200
302.45080.1122	8712543048761	8712543048778	Spaanplaatschroeven platkop 4.5 x 80 staal gehard geel	200	2.000	vs	202.45080.1122	8712543624620	8712543701154	200	2.200
302.50070.1022	8712543619312	8712543619329	Spaanplaatschroeven platkop 5.0 x 70 staal gehard verzinkt	200	2.000	vs	202.50070.1022	8712543624637	8712543701161	200	1.600
302.50070.1122	8712543048785	8712543048792	Spaanplaatschroeven platkop 5.0 x 70 staal gehard geel	200	2.000	vs	202.50070.1122	8712543624644	8712543701178	200	1.600
302.50080.1022	8712543619336	8712543619343	Spaanplaatschroeven platkop 5.0 x 80 staal gehard verzinkt	200	2.000	vs	202.50080.1022	8712543624651	8712543701185	200	1.600
302.50080.1122	8712543048808	8712543048815	Spaanplaatschroeven platkop 5.0 x 80 staal gehard geel	200	2.000	vs	202.50080.1122	8712543624668	8712543701192	200	1.600
302.50090.1022	8712543048822	8712543048839	Spaanplaatschroeven platkop 5.0 x 90 staal gehard verzinkt	200	2.000	vs	202.50090.1022	8712543624675	8712543701208	200	2.200
302.50090.1122	8712543048846	8712543048853	Spaanplaatschroeven platkop 5.0 x 90 staal gehard geel	200	2.000	vs	202.50090.1122	8712543624682	8712543701215	200	2.200
302.50100.1022	8712543619350	8712543619367	Spaanplaatschroeven platkop 5.0 x 100 staal gehard verzinkt	200	1.600	vs	202.50100.1022	8712543624699	8712543701222	200	2.200
302.50100.1122	8712543048860	8712543048877	Spaanplaatschroeven platkop 5.0 x 100 staal gehard geel	200	1.600	vs	202.50100.1122	8712543624705	8712543701239	200	2.200
302.50110.1022	8712543048884	8712543048891	Spaanplaatschroeven platkop 5.0 x 110 staal gehard verzinkt	200	1.600	vs	202.50110.1022	8712543624712	8712543701246	200	2.200
302.50110.1122	8712543048907	8712543048914	Spaanplaatschroeven platkop 5.0 x 110 staal gehard geel	200	1.600	vs	202.50110.1122	8712543624729	8712543701253	200	2.200
302.50120.1022	8712543048921	8712543048938	Spaanplaatschroeven platkop 5.0 x 120 staal gehard verzinkt	200	1.600	vs	202.50120.1022	8712543624736	8712543701260	200	2.200
302.50120.1122	8712543048945	8712543048952	Spaanplaatschroeven platkop 5.0 x 120 staal gehard geel	200	1.600	vs	202.50120.1122	8712543624743	8712543701277	200	2.200
302.60070.1020	8712543048969	8712543048976	Spaanplaatschroeven platkop 6.0 x 70 staal gehard verzinkt	100	1.000	vs	202.60070.1020	8712543624750	8712543701284	100	1.200
302.60070.1120	8712543048983	8712543048990	Spaanplaatschroeven platkop 6.0 x 70 staal gehard geel	100	1.000	vs	202.60070.1120	8712543624767	8712543701291	100	1.200
302.60080.1020	8712543619374	8712543619381	Spaanplaatschroeven platkop 6.0 x 80 staal gehard verzinkt	100	1.000	vs	202.60080.1020	8712543624774	8712543701307	100	1.100
302.60080.1120	8712543049003	8712543049010	Spaanplaatschroeven platkop 6.0 x 80 staal gehard geel	100	1.000	vs	202.60080.1120	8712543624781	8712543701314	100	1.100
302.60090.1020	8712543049027	8712543049034	Spaanplaatschroeven platkop 6.0 x 90 staal gehard verzinkt	100	1.000	vs	202.60090.1020	8712543624798	8712543701321	100	1.100
302.60090.1120	8712543049041	8712543049058	Spaanplaatschroeven platkop 6.0 x 90 staal gehard geel	100	1.000	vs	202.60090.1120	8712543624804	8712543701338	100	1.100
302.60100.1020	8712543619398	8712543619404	Spaanplaatschroeven platkop 6.0 x 100 staal gehard verzinkt	100	1.000	vs	202.60100.1020	8712543624811	8712543701345	100	1.100
302.60100.1120	8712543049065	8712543049072	Spaanplaatschroeven platkop 6.0 x 100 staal gehard geel	100	1.000	vs	202.60100.1120	8712543624828	8712543701352	100	1.100
302.60110.1020	8712543049089	8712543049096	Spaanplaatschroeven platkop 6.0 x 110 staal gehard verzinkt	100	1.000	vs	202.60110.1020	8712543624835	8712543701369	100	1.100
302.60110.1120	8712543049102	8712543049119	Spaanplaatschroeven platkop 6.0 x 110 staal gehard geel	100	1.000	vs	202.60110.1120	8712543624842	8712543701376	100	1.100
302.60120.1020	8712543619411	8712543619428	Spaanplaatschroeven platkop 6.0 x 120 staal gehard verzinkt	100	1.000	vs	202.60120.1020	8712543624859	8712543701383	100	1.100
302.60120.1120	8712543049126	8712543049133	Spaanplaatschroeven platkop 6.0 x 120 staal gehard geel	100	1.000	vs	202.60120.1120	8712543624866	8712543701390	100	1.100
302.60130.1020	8712543049140	8712543049157	Spaanplaatschroeven platkop 6.0 x 130 staal gehard verzinkt	100	1.000	vs	202.60130.1020	8712543624873	8712543701406	100	1.100
302.60130.1120	8712543049164	8712543049171	Spaanplaatschroeven platkop 6.0 x 130 staal gehard geel	100	1.000	vs	202.60130.1120	8712543624880	8712543701413	100	1.100
302.60140.1020	8712543049188	8712543049195	Spaanplaatschroeven platkop 6.0 x 140 staal gehard verzinkt	100	600	vs	202.60140.1020	8712543624897	8712543701420	100	1.100
302.60140.1120	8712543049201	8712543049218	Spaanplaatschroeven platkop 6.0 x 140 staal gehard geel	100	600	vs	202.60140.1120	8712543624903	8712543701437	100	1.100
302.60150.1020	8712543049225	8712543049232	Spaanplaatschroeven platkop 6.0 x 150 staal gehard verzinkt	100	600	vs	202.60150.1020	8712543624910	8712543701444	100	1.100
302.60150.1120	8712543049249	8712543049256	Spaanplaatschroeven platkop 6.0 x 150 staal gehard geel	100	600	vs	202.60150.1120	8712543624927	8712543701451	100	1.100
302.60160.1020	8712543049263	8712543049270	Spaanplaatschroeven platkop 6.0 x 160 staal gehard verzinkt	100	600	vs	202.60160.1020	8712543624934	8712543701468	100	1.100
302.60160.1120	8712543049287	8712543049294	Spaanplaatschroeven platkop 6.0 x 160 staal gehard geel	100	600	vs	202.60160.1120	8712543624941	8712543701475	100	1.100
302.60180.1020	8712543049300	8712543049317	Spaanplaatschroeven platkop 6.0 x 180 staal gehard verzinkt	100	600	vs	202.60180.1020	8712543624958	8712543701482	100	1.100
302.60180.1120	8712543049324	8712543049331	Spaanplaatschroeven platkop 6.0 x 180 staal gehard geel	100	600	vs	202.60180.1120	8712543624965	8712543701499	100	1.100
302.60200.1020	8712543049348	8712543049355	Spaanplaatschroeven platkop 6.0 x 200 staal gehard verzinkt	100	600	vs	202.60200.1020	8712543624972	8712543701505	100	1.000
302.60200.1120	8712543049362	8712543049379	Spaanplaatschroeven platkop 6.0 x 200 staal gehard geel	100	600	vs	202.60200.1120	8712543624989	8712543701512	100	1.000
303.30012.1022	8712543058838	8712543058845	Spaanplaatschroeven panhead 3.0 x 12 staal gehard verzinkt	200	6.000	vs	203.30012.1022	8712543010324	8712543013882	200	21.000
303.30016.1022	8712543058852	8712543058869	Spaanplaatschroeven panhead 3.0 x 16 staal gehard verzinkt	200	6.000	vs	203.30016.1022	8712543010348	8712543013905	200	21.000
303.30020.1022	8712543058876	8712543058883	Spaanplaatschroeven panhead 3.0 x 20 staal gehard verzinkt	200	6.000	vs	203.30020.1022	8712543010355	8712543013912	200	21.000
303.35016.1022	8712543058890	8712543058906	Spaanplaatschroeven panhead 3.5 x 16 staal gehard verzinkt	200	6.000	vs	203.35016.1022	8712543010720	8712543014285	200	21.000
303.35020.1022	8712543058913	8712543058920	Spaanplaatschroeven panhead 3.5 x 20 staal gehard verzinkt	200	6.000	vs	203.35020.1022	8712543010737	8712543014292	200	21.000
303.35025.1022	8712543058937	8712543058944	Spaanplaatschroeven panhead 3.5 x 25 staal gehard verzinkt	200	6.000	vs	203.35025.1022	8712543010744	8712543014308	200	9.600
303.35030.1022	8712543058951	8712543058968	Spaanplaatschroeven panhead 3.5 x 30 staal gehard verzinkt	200	6.000	vs	203.35030.1022	8712543010751	8712543014315	200	9.600
303.35035.1022	8712543058975	8712543058982	Spaanplaatschroeven panhead 3.5 x 35 staal gehard verzinkt	200	6.000	vs	203.35035.1022	8712543010768	8712543014322	200	9.600
303.40016.1022	8712543058999	8712543059006	Spaanplaatschroeven panhead 4.0 x 16 staal gehard verzinkt	200	6.000	vs	203.40016.1022	8712543010416	8712543013974	200	21.000
303.40017.1022	8712543049386	8712543049393	Spaanplaatschroeven panhead 4.0 x 17 staal gehard verzinkt	200	6.000	vs	203.40017.1022	8712543016203	8712543016289	200	21.000
303.40020.1022	8712543059019	8712543059026	Spaanplaatschroeven panhead 4.0 x 20 staal gehard verzinkt	200	6.000	vs	203.40020.1022	8712543010423	8712543013981	200	9.600
303.40025.1022	8712543049409	8712543049416	Spaanplaatschroeven panhead 4.0 x 25 staal gehard verzinkt	200	6.000	vs	203.40025.1022	8712543010430	8712543013998	200	9.600

Nieuw artikelnummer	EAN code ds	EAN code overdoos	Artikelnaam	Nieuw ds aantal	Nieuw overds aantal			EAN code overds DTL	DTL ds aantal	DTL overds aantal	
						DTL artikel nr	EAN code ds DTL				
303.40030.1022	8712543059033	8712543059040	Spaanplaatschroeven panhead 4.0 x 30 staal gehard verzinkt	200	6.000	vs	203.40030.1022	8712543010447	8712543014001	200	9.600
303.40035.1022	8712543049423	8712543049430	Spaanplaatschroeven panhead 4.0 x 35 staal gehard verzinkt	200	6.000	vs	203.40035.1022	8712543010454	8712543014018	200	7.200
303.40040.1022	8712543049447	8712543049454	Spaanplaatschroeven panhead 4.0 x 40 staal gehard verzinkt	200	6.000	vs	203.40040.1022	8712543010461	8712543014025	200	7.200
303.40045.1022	8712543059057	8712543059064	Spaanplaatschroeven panhead 4.0 x 45 staal gehard verzinkt	200	6.000	vs	203.40045.1022	8712543010478	8712543014032	200	2.400
303.40050.1022	8712543059071	8712543059088	Spaanplaatschroeven panhead 4.0 x 50 staal gehard verzinkt	200	4.000	vs	203.40050.1022	8712543010485	8712543014049	200	2.400
303.40060.1022	8712543049461	8712543049478	Spaanplaatschroeven panhead 4.0 x 60 staal gehard verzinkt	200	4.000	vs	203.40060.1022	8712543016210	8712543016296	200	2.400
303.45016.1022	8712543049485	8712543049492	Spaanplaatschroeven panhead 4.5 x 16 staal gehard verzinkt	200	6.000	vs	203.45016.1022	8712543010799	8712543014353	200	9.600
303.45020.1022	8712543059095	8712543059101	Spaanplaatschroeven panhead 4.5 x 20 staal gehard verzinkt	200	6.000	vs	203.45020.1022	8712543010805	8712543014360	200	9.600
303.45025.1022	8712543059118	8712543059125	Spaanplaatschroeven panhead 4.5 x 25 staal gehard verzinkt	200	6.000	vs	203.45025.1022	8712543010812	8712543014377	200	9.600
303.45030.1022	8712543059132	8712543059149	Spaanplaatschroeven panhead 4.5 x 30 staal gehard verzinkt	200	6.000	vs	203.45030.1022	8712543010829	8712543014384	200	7.200
303.45035.1022	8712543059156	8712543059163	Spaanplaatschroeven panhead 4.5 x 35 staal gehard verzinkt	200	6.000	vs	203.45035.1022	8712543010836	8712543014391	200	7.200
303.45040.1022	8712543059170	8712543059187	Spaanplaatschroeven panhead 4.5 x 40 staal gehard verzinkt	200	4.000	vs	203.45040.1022	8712543010843	8712543014407	200	2.400
303.45045.1022	8712543059194	8712543059200	Spaanplaatschroeven panhead 4.5 x 45 staal gehard verzinkt	200	4.000	vs	203.45045.1022	8712543010850	8712543014414	200	2.400
303.50020.1022	8712543059217	8712543059224	Spaanplaatschroeven panhead 5.0 x 20 staal gehard verzinkt	200	6.000	vs	203.50020.1022	8712543010515	8712543014070	200	9.600
303.50030.1022	8712543059231	8712543059248	Spaanplaatschroeven panhead 5.0 x 30 staal gehard verzinkt	200	6.000	vs	203.50030.1022	8712543010522	8712543014087	200	7.200
303.50040.1022	8712543059255	8712543059262	Spaanplaatschroeven panhead 5.0 x 40 staal gehard verzinkt	200	4.000	vs	203.50040.1022	8712543010546	8712543014100	200	2.400
303.50050.1022	8712543059279	8712543059286	Spaanplaatschroeven panhead 5.0 x 50 staal gehard verzinkt	200	2.000	vs	203.50050.1022	8712543010560	8712543014124	200	2.400
304.35012.1022	8712543049508	8712543049515	Spaanplaatschroeven panhead 3.5 x 12 staal gehard verzinkt	200	6.000	vs	204.35012.1022	8712543042134	8712543042530	200	21.000
304.35016.1022	8712543049522	8712543049539	Spaanplaatschroeven panhead 3.5 x 16 staal gehard verzinkt	200	6.000	vs	204.35016.1022	8712543042141	8712543042547	200	21.000
304.35020.1022	8712543049546	8712543049553	Spaanplaatschroeven panhead 3.5 x 20 staal gehard verzinkt	200	6.000	vs	204.35020.1022	8712543042158	8712543042554	200	21.000
304.35025.1022	8712543049560	8712543049577	Spaanplaatschroeven panhead 3.5 x 25 staal gehard verzinkt	200	6.000	vs	204.35025.1022	8712543042165	8712543042561	200	9.600
304.35030.1022	8712543049584	8712543049591	Spaanplaatschroeven panhead 3.5 x 30 staal gehard verzinkt	200	6.000	vs	204.35030.1022	8712543042172	8712543042578	200	9.600
304.35035.1022	8712543049607	8712543049614	Spaanplaatschroeven panhead 3.5 x 35 staal gehard verzinkt	200	6.000	vs	204.35035.1022	8712543042189	8712543042585	200	9.600
304.35040.1022	8712543049621	8712543049638	Spaanplaatschroeven panhead 3.5 x 40 staal gehard verzinkt	200	6.000	vs	204.35040.1022	8712543042196	8712543042592	200	7.200
304.40016.1022	8712543049645	8712543049652	Spaanplaatschroeven panhead 4.0 x 16 staal gehard verzinkt	200	6.000	vs	204.40016.1022	8712543042202	8712543042608	200	21.000
304.40020.1022	8712543049669	8712543049676	Spaanplaatschroeven panhead 4.0 x 20 staal gehard verzinkt	200	6.000	vs	204.40020.1022	8712543042219	8712543042615	200	9.600
304.40025.1022	8712543049683	8712543049690	Spaanplaatschroeven panhead 4.0 x 25 staal gehard verzinkt	200	6.000	vs	204.40025.1022	8712543042226	8712543042622	200	9.600
304.40030.1022	8712543049706	8712543049713	Spaanplaatschroeven panhead 4.0 x 30 staal gehard verzinkt	200	6.000	vs	204.40030.1022	8712543042233	8712543042639	200	9.600
304.40035.1022	8712543049720	8712543049737	Spaanplaatschroeven panhead 4.0 x 35 staal gehard verzinkt	200	6.000	vs	204.40035.1022	8712543042240	8712543042646	200	7.200
304.40040.1022	8712543049744	8712543049751	Spaanplaatschroeven panhead 4.0 x 40 staal gehard verzinkt	200	6.000	vs	204.40040.1022	8712543042257	8712543042653	200	7.200
304.40050.1022	8712543049768	8712543049775	Spaanplaatschroeven panhead 4.0 x 50 staal gehard verzinkt	200	4.000	vs	204.40050.1022	8712543042264	8712543042660	200	2.400
304.40060.1022	8712543049782	8712543049799	Spaanplaatschroeven panhead 4.0 x 60 staal gehard verzinkt	200	4.000	vs	204.40060.1022	8712543042271	8712543042677	200	2.400
304.40070.1022	8712543059293	8712543059300	Spaanplaatschroeven panhead 4.0 x 70 staal gehard verzinkt	200	4.000	vs	204.40070.1022	8712543042288	8712543042684	200	2.200
304.45016.1022	8712543049807	8712543049814	Spaanplaatschroeven panhead 4.5 x 16 staal gehard verzinkt	200	6.000	vs	204.45016.1022	8712543042295	8712543042691	200	9.600
304.45020.1022	8712543049829	8712543049836	Spaanplaatschroeven panhead 4.5 x 20 staal gehard verzinkt	200	6.000	vs	204.45020.1022	8712543042301	8712543042707	200	9.600
304.45025.1022	8712543049843	8712543049850	Spaanplaatschroeven panhead 4.5 x 25 staal gehard verzinkt	200	6.000	vs	204.45025.1022	8712543042318	8712543042714	200	9.600
304.45030.1022	8712543049867	8712543049874	Spaanplaatschroeven panhead 4.5 x 30 staal gehard verzinkt	200	6.000	vs	204.45030.1022	8712543042325	8712543042721	200	7.200
304.45035.1022	8712543049881	8712543049888	Spaanplaatschroeven panhead 4.5 x 35 staal gehard verzinkt	200	6.000	vs	204.45035.1022	8712543042332	8712543042738	200	7.200
304.45040.1022	8712543049904	8712543049911	Spaanplaatschroeven panhead 4.5 x 40 staal gehard verzinkt	200	4.000	vs	204.45040.1022	8712543042349	8712543042745	200	2.400
304.45050.1022	8712543059316	8712543059323	Spaanplaatschroeven panhead 4.5 x 50 staal gehard verzinkt	200	4.000	vs	204.45050.1022	8712543042356	8712543042752	200	2.400
304.45060.1022	8712543059330	8712543059347	Spaanplaatschroeven panhead 4.5 x 60 staal gehard verzinkt	200	4.000	vs	204.45060.1022	8712543042363	8712543042769	200	2.400
304.45070.1022	8712543059354	8712543059361	Spaanplaatschroeven panhead 4.5 x 70 staal gehard verzinkt	200	2.000	vs	204.45070.1022	8712543042370	8712543042776	200	2.200
304.45080.1022	8712543059378	8712543059385	Spaanplaatschroeven panhead 4.5 x 80 staal gehard verzinkt	200	2.000	vs	204.45080.1022	8712543042387	8712543042783	200	2.200
304.50016.1022	8712543049928	8712543049935	Spaanplaatschroeven panhead 5.0 x 16 staal gehard verzinkt	200	6.000	vs	204.50016.1022	8712543042394	8712543042790	200	9.600
304.50020.1022	8712543049942	8712543049959	Spaanplaatschroeven panhead 5.0 x 20 staal gehard verzinkt	200	6.000	vs	204.50020.1022	8712543042400	8712543042806	200	9.600
304.50025.1022	8712543049966	8712543049973	Spaanplaatschroeven panhead 5.0 x 25 staal gehard verzinkt	200	6.000	vs	204.50025.1022	8712543042417	8712543042813	200	7.200
304.50030.1022	8712543049980	8712543049997	Spaanplaatschroeven panhead 5.0 x 30 staal gehard verzinkt	200	6.000	vs	204.50030.1022	8712543042424	8712543042820	200	7.200
304.50035.1022	8712543050009	8712543050016	Spaanplaatschroeven panhead 5.0 x 35 staal gehard verzinkt	200	4.000	vs	204.50035.1022	8712543042431	8712543042837	200	7.200
304.50040.1022	8712543050023	8712543050030	Spaanplaatschroeven panhead 5.0 x 40 staal gehard verzinkt	200	4.000	vs	204.50040.1022	8712543042448	8712543042844	200	2.400
304.50050.1022	8712543050047	8712543050054	Spaanplaatschroeven panhead 5.0 x 50 staal gehard verzinkt	200	2.000	vs	204.50050.1022	8712543042455	8712543042851	200	2.400
304.50060.1022	8712543059392	8712543059408	Spaanplaatschroeven panhead 5.0 x 60 staal gehard verzinkt	200	2.000	vs	204.50060.1022	8712543042462	8712543042868	200	2.400
304.50070.1022	8712543059415	8712543059422	Spaanplaatschroeven panhead 5.0 x 70 staal gehard verzinkt	200	2.000	vs	204.50070.1022	8712543042479	8712543042875	200	1.600
304.50080.1022	8712543059439	8712543059446	Spaanplaatschroeven panhead 5.0 x 80 staal gehard verzinkt	200	2.000	vs	204.50080.1022	8712543042486	8712543042882	200	1.600
304.60040.1020	8712543050061	8712543050078	Spaanplaatschroeven panhead 6.0 x 40 staal gehard verzinkt	100	3.000	vs	204.60040.1020	8712543042493	8712543042899	100	3.600
304.60050.1020	8712543050085	8712543050092	Spaanplaatschroeven panhead 6.0 x 50 staal gehard verzinkt	100	2.000	vs	204.60050.1020	8712543042509	8712543042905	100	3.600

Nieuw artikelnummer	EAN code ds	EAN code overdoos	Artikelnaam	Nieuw ds aantal	Nieuw overds aantal	DTL artikel nr	EAN code ds DTL	EAN code overds DTL	DTL ds aantal	DTL overds aantal	
304.60070.1020	8712543050108	8712543050115	Spaanplaatschroeven panhead 6.0 x 70 staal gehard verzinkt	100	1.000	vs	204.60070.1020	8712543042516	8712543042912	100	1.200
304.60100.1020	8712543050122	8712543050139	Spaanplaatschroeven panhead 6.0 x 100 staal gehard verzinkt	100	1.000	vs	204.60100.1020	8712543042523	8712543042929	100	1.100
305.30012.1022	8712543050146	8712543050153	Spaanplaatschroeven platkop 3.0 x 12 staal gehard verzinkt	200	6.000	vs	205.30012.1022	8712543628802	8712543701529	200	21.000
305.30012.1122	8712543059453	8712543059460	Spaanplaatschroeven platkop 3.0 x 12 staal gehard geel	200	6.000	vs	205.30012.1122	8712543623432	8712543701536	200	21.000
305.30016.1022	8712543619435	8712543619442	Spaanplaatschroeven platkop 3.0 x 16 staal gehard verzinkt	200	6.000	vs	205.30016.1022	8712543624996	8712543701543	200	21.000
305.30016.1122	8712543059477	8712543059484	Spaanplaatschroeven platkop 3.0 x 16 staal gehard geel	200	6.000	vs	205.30016.1122	8712543623449	8712543701550	200	21.000
305.30020.1022	8712543050160	8712543050177	Spaanplaatschroeven platkop 3.0 x 20 staal gehard verzinkt	200	6.000	vs	205.30020.1022	8712543625009	8712543701567	200	21.000
305.30020.1122	8712543050184	8712543050191	Spaanplaatschroeven platkop 3.0 x 20 staal gehard geel	200	6.000	vs	205.30020.1122	8712543625016	8712543701574	200	21.000
305.30025.1022	8712543050207	8712543050214	Spaanplaatschroeven platkop 3.0 x 25 staal gehard verzinkt	200	6.000	vs	205.30025.1022	8712543625023	8712543701581	200	9.600
305.30025.1122	8712543050221	8712543050238	Spaanplaatschroeven platkop 3.0 x 25 staal gehard geel	200	6.000	vs	205.30025.1122	8712543625030	8712543701598	200	9.600
305.30030.1022	8712543619459	8712543619466	Spaanplaatschroeven platkop 3.0 x 30 staal gehard verzinkt	200	6.000	vs	205.30030.1022	8712543625047	8712543701604	200	9.600
305.30030.1122	8712543050245	8712543050252	Spaanplaatschroeven platkop 3.0 x 30 staal gehard geel	200	6.000	vs	205.30030.1122	8712543623456	8712543701611	200	9.600
305.30035.1022	8712543050269	8712543050276	Spaanplaatschroeven platkop 3.0 x 35 staal gehard verzinkt	200	6.000	vs	205.30035.1022	8712543625054	8712543701628	200	9.600
305.30035.1122	8712543059491	8712543059507	Spaanplaatschroeven platkop 3.0 x 35 staal gehard geel	200	6.000	vs	205.30035.1122	8712543623463	8712543701635	200	9.600
305.35016.1022	8712543050283	8712543050290	Spaanplaatschroeven platkop 3.5 x 16 staal gehard verzinkt	200	6.000	vs	205.35016.1022	8712543625061	8712543701642	200	21.000
305.35016.1122	8712543059514	8712543059521	Spaanplaatschroeven platkop 3.5 x 16 staal gehard geel	200	6.000	vs	205.35016.1122	8712543623470	8712543701659	200	21.000
305.35020.1022	8712543050306	8712543050313	Spaanplaatschroeven platkop 3.5 x 20 staal gehard verzinkt	200	6.000	vs	205.35020.1022	8712543625078	8712543701666	200	21.000
305.35020.1122	8712543050320	8712543050337	Spaanplaatschroeven platkop 3.5 x 20 staal gehard geel	200	6.000	vs	205.35020.1122	8712543623487	8712543701673	200	21.000
305.35025.1022	8712543619473	8712543619480	Spaanplaatschroeven platkop 3.5 x 25 staal gehard verzinkt	200	6.000	vs	205.35025.1022	8712543625085	8712543701680	200	9.600
305.35025.1122	8712543050344	8712543050351	Spaanplaatschroeven platkop 3.5 x 25 staal gehard geel	200	6.000	vs	205.35025.1122	8712543623494	8712543701697	200	9.600
305.35030.1022	8712543619497	8712543619503	Spaanplaatschroeven platkop 3.5 x 30 staal gehard verzinkt	200	6.000	vs	205.35030.1022	8712543625092	8712543701703	200	9.600
305.35030.1122	8712543050368	8712543050375	Spaanplaatschroeven platkop 3.5 x 30 staal gehard geel	200	6.000	vs	205.35030.1122	8712543625108	8712543701710	200	9.600
305.35035.1022	8712543619510	8712543619527	Spaanplaatschroeven platkop 3.5 x 35 staal gehard verzinkt	200	6.000	vs	205.35035.1022	8712543625115	8712543701727	200	9.600
305.35035.1122	8712543050382	8712543050399	Spaanplaatschroeven platkop 3.5 x 35 staal gehard geel	200	6.000	vs	205.35035.1122	8712543625122	8712543701734	200	9.600
305.35040.1022	8712543619534	8712543619541	Spaanplaatschroeven platkop 3.5 x 40 staal gehard verzinkt	200	6.000	vs	205.35040.1022	8712543625139	8712543701741	200	7.200
305.40016.1022	8712543050405	8712543050412	Spaanplaatschroeven platkop 4.0 x 16 staal gehard verzinkt	200	6.000	vs	205.40016.1022	8712543625146	8712543701758	200	21.000
305.40016.1122	8712543050429	8712543050436	Spaanplaatschroeven platkop 4.0 x 16 staal gehard geel	200	6.000	vs	205.40016.1122	8712543623500	8712543701765	200	21.000
305.40020.1022	8712543050443	8712543050450	Spaanplaatschroeven platkop 4.0 x 20 staal gehard verzinkt	200	6.000	vs	205.40020.1022	8712543625153	8712543701772	200	12.000
305.40020.1122	8712543050467	8712543050474	Spaanplaatschroeven platkop 4.0 x 20 staal gehard geel	200	6.000	vs	205.40020.1122	8712543625160	8712543701789	200	12.000
305.40025.1022	8712543050481	8712543050498	Spaanplaatschroeven platkop 4.0 x 25 staal gehard verzinkt	200	6.000	vs	205.40025.1022	8712543625177	8712543701796	200	9.600
305.40025.1122	8712543050504	8712543050511	Spaanplaatschroeven platkop 4.0 x 25 staal gehard geel	200	6.000	vs	205.40025.1122	8712543623517	8712543701802	200	9.600
305.40030.1022	8712543619558	8712543619565	Spaanplaatschroeven platkop 4.0 x 30 staal gehard verzinkt	200	6.000	vs	205.40030.1022	8712543625184	8712543701819	200	9.600
305.40030.1122	8712543050528	8712543050535	Spaanplaatschroeven platkop 4.0 x 30 staal gehard geel	200	6.000	vs	205.40030.1122	8712543625191	8712543701826	200	9.600
305.40035.1022	8712543050542	8712543050559	Spaanplaatschroeven platkop 4.0 x 35 staal gehard verzinkt	200	6.000	vs	205.40035.1022	8712543625207	8712543701833	200	7.200
305.40035.1122	8712543050566	8712543050573	Spaanplaatschroeven platkop 4.0 x 35 staal gehard geel	200	6.000	vs	205.40035.1122	8712543625214	8712543701840	200	7.200
305.40040.1022	8712543619572	8712543619589	Spaanplaatschroeven platkop 4.0 x 40 staal gehard verzinkt	200	6.000	vs	205.40040.1022	8712543625221	8712543701857	200	7.200
305.40040.1122	8712543050580	8712543050597	Spaanplaatschroeven platkop 4.0 x 40 staal gehard geel	200	6.000	vs	205.40040.1122	8712543625238	8712543701864	200	7.200
305.40045.1022	8712543050603	8712543050610	Spaanplaatschroeven platkop 4.0 x 45 staal gehard verzinkt	200	6.000	vs	205.40045.1022	8712543625245	8712543701871	200	2.400
305.40050.1022	8712543619596	8712543619602	Spaanplaatschroeven platkop 4.0 x 50 staal gehard verzinkt	200	6.000	vs	205.40050.1022	8712543625252	8712543701888	200	2.400
305.40050.1122	8712543050627	8712543050634	Spaanplaatschroeven platkop 4.0 x 50 staal gehard geel	200	6.000	vs	205.40050.1122	8712543623524	8712543701895	200	2.400
305.45020.1022	8712543050641	8712543050658	Spaanplaatschroeven platkop 4.5 x 20 staal gehard verzinkt	200	6.000	vs	205.45020.1022	8712543625269	8712543701901	200	9.600
305.45020.1122	8712543059538	8712543059545	Spaanplaatschroeven platkop 4.5 x 20 staal gehard geel	200	6.000	vs	205.45020.1122	8712543623531	8712543701918	200	9.600
305.45025.1022	8712543050665	8712543050672	Spaanplaatschroeven platkop 4.5 x 25 staal gehard verzinkt	200	6.000	vs	205.45025.1022	8712543625276	8712543701925	200	9.600
305.45025.1122	8712543050689	8712543050696	Spaanplaatschroeven platkop 4.5 x 25 staal gehard geel	200	6.000	vs	205.45025.1122	8712543623548	8712543701932	200	9.600
305.45030.1022	8712543050702	8712543050719	Spaanplaatschroeven platkop 4.5 x 30 staal gehard verzinkt	200	6.000	vs	205.45030.1022	8712543625283	8712543701949	200	7.200
305.45030.1122	8712543050726	8712543050733	Spaanplaatschroeven platkop 4.5 x 30 staal gehard geel	200	6.000	vs	205.45030.1122	8712543623555	8712543701956	200	7.200
305.45035.1022	8712543050740	8712543050757	Spaanplaatschroeven platkop 4.5 x 35 staal gehard verzinkt	200	6.000	vs	205.45035.1022	8712543625290	8712543701963	200	7.200
305.45035.1122	8712543050764	8712543050771	Spaanplaatschroeven platkop 4.5 x 35 staal gehard geel	200	6.000	vs	205.45035.1122	8712543623562	8712543701970	200	7.200
305.45040.1022	8712543619619	8712543619626	Spaanplaatschroeven platkop 4.5 x 40 staal gehard verzinkt	200	4.000	vs	205.45040.1022	8712543625306	8712543701987	200	2.400
305.45040.1122	8712543050788	8712543050795	Spaanplaatschroeven platkop 4.5 x 40 staal gehard geel	200	4.000	vs	205.45040.1122	8712543623579	8712543701994	200	2.400
305.45045.1022	8712543619633	8712543619640	Spaanplaatschroeven platkop 4.5 x 45 staal gehard verzinkt	200	4.000	vs	205.45045.1022	8712543625313	8712543702007	200	2.400
305.45050.1022	8712543619657	8712543619664	Spaanplaatschroeven platkop 4.5 x 50 staal gehard verzinkt	200	4.000	vs	205.45050.1022	8712543625320	8712543702014	200	2.400
305.45050.1122	8712543050801	8712543050818	Spaanplaatschroeven platkop 4.5 x 50 staal gehard geel	200	4.000	vs	205.45050.1122	8712543623586	8712543702021	200	2.400
305.45060.1022	8712543050825	8712543050832	Spaanplaatschroeven platkop 4.5 x 60 staal gehard verzinkt	200	4.000	vs	205.45060.1022	8712543625337	8712543702038	200	2.400
305.50020.1022	8712543050849	8712543050856	Spaanplaatschroeven platkop 5.0 x 20 staal gehard verzinkt	200	6.000	vs	205.50020.1022	8712543623593	8712543702045	200	9.600

Nieuw artikelnummer	EAN code EAN code ds	EAN code overdoos	Artikelnaam	Nieuw ds aantal	Nieuw overds aantal	DTL artikel nr	EAN code ds DTL	EAN code overds DTL	DTL ds aantal	DTL overds aantal
305.50020.1122	8712543050863	8712543050870	Spaanplaatschroeven platkop 5.0 x 20 staal gehard geel	200	6.000	vs 205.50020.1122	8712543623609	8712543702052	200	9.600
305.50025.1022	8712543050887	8712543050894	Spaanplaatschroeven platkop 5.0 x 25 staal gehard verzinkt	200	6.000	vs 205.50025.1022	8712543623616	8712543702069	200	9.600
305.50025.1122	8712543059552	8712543059569	Spaanplaatschroeven platkop 5.0 x 25 staal gehard geel	200	6.000	vs 205.50025.1122	8712543623623	8712543702076	200	9.600
305.50030.1022	8712543050900	8712543050917	Spaanplaatschroeven platkop 5.0 x 30 staal gehard verzinkt	200	6.000	vs 205.50030.1022	8712543625344	8712543702083	200	7.200
305.50030.1122	8712543050924	8712543050931	Spaanplaatschroeven platkop 5.0 x 30 staal gehard geel	200	6.000	vs 205.50030.1122	8712543623630	8712543702090	200	7.200
305.50035.1022	8712543050948	8712543050955	Spaanplaatschroeven platkop 5.0 x 35 staal gehard verzinkt	200	4.000	vs 205.50035.1022	8712543625351	8712543702106	200	7.200
305.50035.1122	8712543050962	8712543050979	Spaanplaatschroeven platkop 5.0 x 35 staal gehard geel	200	4.000	vs 205.50035.1122	8712543623647	8712543702113	200	7.200
305.50040.1022	8712543050986	8712543050993	Spaanplaatschroeven platkop 5.0 x 40 staal gehard verzinkt	200	4.000	vs 205.50040.1022	8712543625368	8712543702120	200	2.400
305.50040.1122	8712543051006	8712543051013	Spaanplaatschroeven platkop 5.0 x 40 staal gehard geel	200	4.000	vs 205.50040.1122	8712543623654	8712543702137	200	2.400
305.50045.1022	8712543051020	8712543051037	Spaanplaatschroeven platkop 5.0 x 45 staal gehard verzinkt	200	4.000	vs 205.50045.1022	8712543625375	8712543702144	200	2.400
305.50050.1022	8712543619671	8712543619688	Spaanplaatschroeven platkop 5.0 x 50 staal gehard verzinkt	200	2.000	vs 205.50050.1022	8712543625382	8712543702151	200	2.400
305.50050.1122	8712543051044	8712543051051	Spaanplaatschroeven platkop 5.0 x 50 staal gehard geel	200	2.000	vs 205.50050.1122	8712543623661	8712543702168	200	2.400
305.50060.1022	8712543619695	8712543619701	Spaanplaatschroeven platkop 5.0 x 60 staal gehard verzinkt	200	2.000	vs 205.50060.1022	8712543623678	8712543702175	200	2.400
305.50060.1122	8712543051068	8712543051075	Spaanplaatschroeven platkop 5.0 x 60 staal gehard geel	200	2.000	vs 205.50060.1122	8712543623685	8712543702182	200	2.400
305.60040.1020	8712543051082	8712543051099	Spaanplaatschroeven platkop 6.0 x 40 staal gehard verzinkt	100	3.000	vs 205.60040.1020	8712543623692	8712543702199	100	3.600
305.60040.1120	8712543059576	8712543059583	Spaanplaatschroeven platkop 6.0 x 40 staal gehard geel	100	3.000	vs 205.60040.1120	8712543623708	8712543702205	100	3.600
305.60050.1020	8712543051105	8712543051112	Spaanplaatschroeven platkop 6.0 x 35 staal gehard verzinkt	100	2.000	vs 205.60050.1020	8712543625399	8712543702212	100	1.200
305.60050.1120	8712543059590	8712543059606	Spaanplaatschroeven platkop 6.0 x 50 staal gehard geel	100	2.000	vs 205.60050.1120	8712543623715	8712543702229	100	1.200
305.60060.1020	8712543059613	8712543059620	Spaanplaatschroeven platkop 6.0 x 60 staal gehard geel	100	2.000	vs 205.60060.1120	8712543623722	8712543702236	100	1.200
305.61040.1020	8712543051129	8712543051136	Spaanplaatschroeven platkop 6.0 x 40 staal gehard verzinkt	100	3.000	vs 205.61040.1020	8712543018580	8712543019228	100	3.600
305.61040.1120	8712543059637	8712543059644	Spaanplaatschroeven platkop 6.0 x 40 staal gehard geel	100	3.000	vs 205.61040.1120	8712543027971	8712543027988	100	3.600
305.61050.1020	8712543051143	8712543051150	Spaanplaatschroeven platkop 6.0 x 50 staal gehard verzinkt	100	2.000	vs 205.61050.1020	8712543018597	8712543019235	100	1.200
305.61050.1120	8712543059651	8712543059668	Spaanplaatschroeven platkop 6.0 x 50 staal gehard geel	100	2.000	vs 205.61050.1120	8712543027995	8712543028008	100	1.200
305.61060.1120	8712543051167	8712543051174	Spaanplaatschroeven platkop 6.0 x 60 staal gehard geel	100	2.000	vs 205.61060.1120	8712543028015	8712543028022	100	1.200
306.30030.1022	8712543059675	8712543059682	Spaanplaatschroeven platkop 3.0 x 30 staal gehard verzinkt	200	6.000	vs 206.30030.1022	8712543623739	8712543702243	200	9.600
306.30035.1022	8712543059699	8712543059705	Spaanplaatschroeven platkop 3.0 x 35 staal gehard verzinkt	200	6.000	vs 206.30035.1022	8712543623746	8712543702250	200	9.600
306.30035.1122	8712543059712	8712543059729	Spaanplaatschroeven platkop 3.0 x 35 staal gehard geel	200	6.000	vs 206.30035.1122	8712543623753	8712543702267	200	9.600
306.30040.1022	8712543051181	8712543051198	Spaanplaatschroeven platkop 3.0 x 40 staal gehard verzinkt	200	6.000	vs 206.30040.1022	8712543625405	8712543702274	200	9.600
306.30040.1122	8712543051204	8712543051211	Spaanplaatschroeven platkop 3.0 x 40 staal gehard geel	200	6.000	vs 206.30040.1122	8712543623760	8712543702281	200	9.600
306.35030.1022	8712543051228	8712543051235	Spaanplaatschroeven platkop 3.5 x 30 staal gehard verzinkt	200	6.000	vs 206.35030.1022	8712543623777	8712543702298	200	9.600
306.35035.1022	8712543051242	8712543051259	Spaanplaatschroeven platkop 3.5 x 35 staal gehard verzinkt	200	6.000	vs 206.35035.1022	8712543623784	8712543702304	200	9.600
306.35035.1122	8712543051266	8712543051273	Spaanplaatschroeven platkop 3.5 x 35 staal gehard geel	200	6.000	vs 206.35035.1122	8712543623791	8712543702311	200	9.600
306.35040.1022	8712543051280	8712543051297	Spaanplaatschroeven platkop 3.5 x 40 staal gehard verzinkt	200	6.000	vs 206.35040.1022	8712543623807	8712543702328	200	7.200
306.35040.1122	8712543051303	8712543051310	Spaanplaatschroeven platkop 3.5 x 40 staal gehard geel	200	6.000	vs 206.35040.1122	8712543625412	8712543702335	200	7.200
306.35045.1022	8712543051327	8712543051334	Spaanplaatschroeven platkop 3.5 x 45 staal gehard verzinkt	200	6.000	vs 206.35045.1022	8712543625429	8712543702342	200	7.200
306.35045.1122	8712543059736	8712543059743	Spaanplaatschroeven platkop 3.5 x 45 staal gehard geel	200	6.000	vs 206.35045.1122	8712543623814	8712543702359	200	7.200
306.35050.1022	8712543051341	8712543051358	Spaanplaatschroeven platkop 3.5 x 50 staal gehard verzinkt	200	6.000	vs 206.35050.1022	8712543628819	8712543702366	200	2.400
306.35050.1122	8712543051365	8712543051372	Spaanplaatschroeven platkop 3.5 x 50 staal gehard geel	200	6.000	vs 206.35050.1122	8712543628833	8712543702373	200	2.400
306.40030.1022	8712543051389	8712543051396	Spaanplaatschroeven platkop 4.0 x 30 staal gehard verzinkt	200	6.000	vs 206.40030.1022	8712543634056	8712543702380	200	9.600
306.40030.1122	8712543051402	8712543051419	Spaanplaatschroeven platkop 4.0 x 30 staal gehard geel	200	6.000	vs 206.40030.1122	8712543623821	8712543702397	200	9.600
306.40035.1022	8712543051426	8712543051433	Spaanplaatschroeven platkop 4.0 x 35 staal gehard verzinkt	200	6.000	vs 206.40035.1022	8712543634063	8712543702403	200	7.200
306.40035.1122	8712543059750	8712543059767	Spaanplaatschroeven platkop 4.0 x 35 staal gehard geel	200	6.000	vs 206.40035.1122	8712543634070	8712543702410	200	7.200
306.40040.1022	8712543051440	8712543051457	Spaanplaatschroeven platkop 4.0 x 40 staal gehard verzinkt	200	6.000	vs 206.40040.1022	8712543625436	8712543702427	200	7.200
306.40040.1122	8712543051464	8712543051471	Spaanplaatschroeven platkop 4.0 x 40 staal gehard geel	200	6.000	vs 206.40040.1122	8712543625443	8712543702434	200	7.200
306.40045.1022	8712543051488	8712543051495	Spaanplaatschroeven platkop 4.0 x 45 staal gehard verzinkt	200	6.000	vs 206.40045.1022	8712543634087	8712543702441	200	2.400
306.40045.1122	8712543051501	8712543051518	Spaanplaatschroeven platkop 4.0 x 45 staal gehard geel	200	6.000	vs 206.40045.1122	8712543625450	8712543702458	200	2.400
306.40050.1022	8712543051525	8712543051532	Spaanplaatschroeven platkop 4.0 x 50 staal gehard verzinkt	200	6.000	vs 206.40050.1022	8712543634094	8712543702465	200	2.400
306.40050.1122	8712543051549	8712543051556	Spaanplaatschroeven platkop 4.0 x 50 staal gehard geel	200	6.000	vs 206.40050.1122	8712543625467	8712543702472	200	2.400
306.40060.1022	8712543619718	8712543619725	Spaanplaatschroeven platkop 4.0 x 60 staal gehard verzinkt	200	4.000	vs 206.40060.1022	8712543625474	8712543702489	200	2.400
306.40060.1122	8712543051563	8712543051570	Spaanplaatschroeven platkop 4.0 x 60 staal gehard geel	200	4.000	vs 206.40060.1122	8712543625481	8712543702496	200	2.400
306.40070.1022	8712543051587	8712543051594	Spaanplaatschroeven platkop 4.0 x 70 staal gehard verzinkt	200	4.000	vs 206.40070.1022	8712543625498	8712543702502	200	2.200
306.40070.1122	8712543051600	8712543051617	Spaanplaatschroeven platkop 4.0 x 70 staal gehard geel	200	4.000	vs 206.40070.1122	8712543634100	8712543702519	200	2.200
306.45030.1022	8712543051624	8712543051631	Spaanplaatschroeven platkop 4.5 x 30 staal gehard verzinkt	200	6.000	vs 206.45030.1022	8712543634117	8712543702526	200	7.200
306.45035.1022	8712543051648	8712543051655	Spaanplaatschroeven platkop 4.5 x 35 staal gehard verzinkt	200	6.000	vs 206.45035.1022	8712543634124	8712543702533	200	7.200
306.45035.1122	8712543051662	8712543051679	Spaanplaatschroeven platkop 4.5 x 35 staal gehard geel	200	6.000	vs 206.45035.1122	8712543634131	8712543702540	200	7.200

Nieuw artikelnummer	EAN code ds	EAN code overdoos	Artikelnaam	Nieuw ds aantal	Nieuw overds aantal	DTL artikel nr	EAN code ds DTL	EAN code overds DTL	DTL ds aantal	DTL overds aantal
306.45040.1022	8712543051686	8712543051693	Spaanplaatschroeven platkop 4.5 x 40 staal gehard verzinkt	200	4.000	vs 206.45040.1022	8712543634148	8712543702557	200	2.400
306.45040.1122	8712543051709	8712543051716	Spaanplaatschroeven platkop 4.5 x 40 staal gehard geel	200	4.000	vs 206.45040.1122	8712543625504	8712543702564	200	2.400
306.45045.1022	8712543051723	8712543051730	Spaanplaatschroeven platkop 4.5 x 45 staal gehard verzinkt	200	4.000	vs 206.45045.1022	8712543634155	8712543702571	200	2.400
306.45045.1122	8712543059774	8712543059781	Spaanplaatschroeven platkop 4.5 x 45 staal gehard geel	200	4.000	vs 206.45045.1122	8712543634162	8712543702588	200	2.400
306.45050.1022	8712543051747	8712543051754	Spaanplaatschroeven platkop 4.5 x 50 staal gehard verzinkt	200	4.000	vs 206.45050.1022	8712543634179	8712543702595	200	2.400
306.45050.1122	8712543051761	8712543051778	Spaanplaatschroeven platkop 4.5 x 50 staal gehard geel	200	4.000	vs 206.45050.1122	8712543625511	8712543702601	200	2.400
306.45060.1022	8712543051785	8712543051792	Spaanplaatschroeven platkop 4.5 x 60 staal gehard verzinkt	200	4.000	vs 206.45060.1022	8712543625528	8712543702618	200	2.400
306.45060.1122	8712543051808	8712543051815	Spaanplaatschroeven platkop 4.5 x 60 staal gehard geel	200	4.000	vs 206.45060.1122	8712543625535	8712543702625	200	2.400
306.45070.1022	8712543051822	8712543051839	Spaanplaatschroeven platkop 4.5 x 70 staal gehard verzinkt	200	2.000	vs 206.45070.1022	8712543634186	8712543702632	200	2.200
306.45070.1122	8712543051846	8712543051853	Spaanplaatschroeven platkop 4.5 x 70 staal gehard geel	200	2.000	vs 206.45070.1122	8712543623838	8712543702649	200	2.200
306.45080.1022	8712543051860	8712543051877	Spaanplaatschroeven platkop 4.5 x 80 staal gehard verzinkt	200	2.000	vs 206.45080.1022	8712543634193	8712543702656	200	2.200
306.45080.1122	8712543051884	8712543051891	Spaanplaatschroeven platkop 4.5 x 80 staal gehard geel	200	2.000	vs 206.45080.1122	8712543623845	8712543702663	200	2.200
306.50035.1122	8712543059798	8712543059804	Spaanplaatschroeven platkop 5.0 x 35 staal gehard geel	200	4.000	vs 206.50035.1122	8712543634209	8712543702670	200	7.200
306.50040.1022	8712543051907	8712543051914	Spaanplaatschroeven platkop 5.0 x 40 staal gehard verzinkt	200	4.000	vs 206.50040.1022	8712543634216	8712543702687	200	2.400
306.50040.1122	8712543059811	8712543059828	Spaanplaatschroeven platkop 5.0 x 40 staal gehard geel	200	4.000	vs 206.50040.1122	8712543625542	8712543702694	200	2.400
306.50045.1022	8712543051921	8712543051938	Spaanplaatschroeven platkop 5.0 x 45 staal gehard verzinkt	200	4.000	vs 206.50045.1022	8712543634223	8712543702700	200	2.400
306.50045.1122	8712543051945	8712543051952	Spaanplaatschroeven platkop 5.0 x 45 staal gehard geel	200	4.000	vs 206.50045.1122	8712543634230	8712543702717	200	2.400
306.50050.1022	8712543051969	8712543051976	Spaanplaatschroeven platkop 5.0 x 50 staal gehard verzinkt	200	2.000	vs 206.50050.1022	8712543634247	8712543702724	200	2.400
306.50050.1122	8712543051983	8712543051990	Spaanplaatschroeven platkop 5.0 x 50 staal gehard geel	200	2.000	vs 206.50050.1122	8712543625559	8712543702731	200	2.400
306.50060.1022	8712543052003	8712543052010	Spaanplaatschroeven platkop 5.0 x 60 staal gehard verzinkt	200	2.000	vs 206.50060.1022	8712543625566	8712543702748	200	2.400
306.50060.1122	8712543052027	8712543052034	Spaanplaatschroeven platkop 5.0 x 60 staal gehard geel	200	2.000	vs 206.50060.1122	8712543625573	8712543702755	200	2.400
306.50070.1022	8712543619732	8712543619749	Spaanplaatschroeven platkop 5.0 x 70 staal gehard verzinkt	200	2.000	vs 206.50070.1022	8712543625580	8712543702762	200	1.600
306.50070.1122	8712543052041	8712543052058	Spaanplaatschroeven platkop 5.0 x 70 staal gehard geel	200	2.000	vs 206.50070.1122	8712543625597	8712543702779	200	1.600
306.50080.1022	8712543619756	8712543619763	Spaanplaatschroeven platkop 5.0 x 80 staal gehard verzinkt	200	2.000	vs 206.50080.1022	8712543625603	8712543702786	200	1.600
306.50080.1122	8712543052065	8712543052072	Spaanplaatschroeven platkop 5.0 x 80 staal gehard geel	200	2.000	vs 206.50080.1122	8712543625610	8712543702793	200	1.600
306.50090.1022	8712543052089	8712543052096	Spaanplaatschroeven platkop 5.0 x 90 staal gehard verzinkt	200	2.000	vs 206.50090.1022	8712543625627	8712543702809	200	2.200
306.50090.1122	8712543052102	8712543052119	Spaanplaatschroeven platkop 5.0 x 90 staal gehard geel	200	2.000	vs 206.50090.1122	8712543634254	8712543702816	200	2.200
306.50100.1022	8712543619770	8712543619787	Spaanplaatschroeven platkop 5.0 x 100 staal gehard verzinkt	200	1.600	vs 206.50100.1022	8712543625634	8712543702823	200	2.200
306.50100.1122	8712543052126	8712543052133	Spaanplaatschroeven platkop 5.0 x 100 staal gehard geel	200	1.600	vs 206.50100.1122	8712543625641	8712543702830	200	2.200
306.50120.1022	8712543052140	8712543052157	Spaanplaatschroeven platkop 5.0 x 120 staal gehard verzinkt	200	1.600	vs 206.50120.1022	8712543625658	8712543702847	200	2.200
306.50120.1122	8712543059835	8712543059842	Spaanplaatschroeven platkop 5.0 x 120 staal gehard geel	200	1.600	vs 206.50120.1122	8712543634261	8712543702854	200	2.200
306.60050.1020	8712543052164	8712543052171	Spaanplaatschroeven platkop 6.0 x 50 staal gehard verzinkt	100	2.000	vs 206.60050.1020	8712543634278	8712543702861	100	1.200
306.60050.1120	8712543059859	8712543059866	Spaanplaatschroeven platkop 6.0 x 50 staal gehard geel	100	2.000	vs 206.60050.1120	8712543634377	8712543712525	100	1.200
306.60060.1020	8712543619794	8712543619800	Spaanplaatschroeven platkop 6.0 x 60 staal gehard verzinkt	100	2.000	vs 206.60060.1020	8712543625665	8712543702878	100	1.200
306.60060.1120	8712543059873	8712543059880	Spaanplaatschroeven platkop 6.0 x 60 staal gehard geel	100	2.000	vs 206.60060.1120	8712543623852	8712543702885	100	1.200
306.60070.1020	8712543052188	8712543052195	Spaanplaatschroeven platkop 6.0 x 70 staal gehard verzinkt	100	1.000	vs 206.60070.1020	8712543625672	8712543702892	100	1.200
306.60080.1020	8712543619817	8712543619824	Spaanplaatschroeven platkop 6.0 x 80 staal gehard verzinkt	100	1.000	vs 206.60080.1020	8712543625689	8712543702915	100	1.100
306.60080.1120	8712543052201	8712543052218	Spaanplaatschroeven platkop 6.0 x 80 staal gehard geel	100	1.000	vs 206.60080.1120	8712543625696	8712543702922	100	1.100
306.60090.1020	8712543052225	8712543052232	Spaanplaatschroeven platkop 6.0 x 90 staal gehard verzinkt	100	1.000	vs 206.60090.1020	8712543625702	8712543702939	100	1.100
306.60100.1020	8712543619831	8712543619848	Spaanplaatschroeven platkop 6.0 x 100 staal gehard verzinkt	100	1.000	vs 206.60100.1020	8712543625719	8712543702953	100	1.100
306.60100.1120	8712543052249	8712543052256	Spaanplaatschroeven platkop 6.0 x 100 staal gehard geel	100	1.000	vs 206.60100.1120	8712543625726	8712543702960	100	1.100
306.60110.1020	8712543052263	8712543052270	Spaanplaatschroeven platkop 6.0 x 110 staal gehard verzinkt	100	1.000	vs 206.60110.1020	8712543634292	8712543702977	100	1.100
306.60110.1120	8712543059897	8712543059903	Spaanplaatschroeven platkop 6.0 x 110 staal gehard geel	100	1.000	vs 206.60110.1120	8712543634308	8712543702984	100	1.100
306.60120.1020	8712543619855	8712543619862	Spaanplaatschroeven platkop 6.0 x 120 staal gehard verzinkt	100	1.000	vs 206.60120.1020	8712543625733	8712543702991	100	1.100
306.60140.1020	8712543052287	8712543052294	Spaanplaatschroeven platkop 6.0 x 140 staal gehard verzinkt	100	600	vs 206.60140.1020	8712543625757	8712543703035	100	1.100
306.60180.1120	8712543059910	8712543059927	Spaanplaatschroeven platkop 6.0 x 180 staal gehard geel	100	600	vs 206.60180.1120	8712543634346	8712543703097	100	1.100
306.60200.1120	8712543059934	8712543059941	Spaanplaatschroeven platkop 6.0 x 200 staal gehard geel	100	600	vs 206.60200.1120	8712543623876	8712543703110	100	1.000
306.61050.1020	8712543052300	8712543052317	Spaanplaatschroeven platkop 6.0 x 50 staal gehard verzinkt	100	2.000	vs 206.61050.1020	8712543018603	8712543019242	100	1.200
306.61050.1120	8712543059958	8712543059965	Spaanplaatschroeven platkop 6.0 x 50 staal gehard geel	100	2.000	vs 206.61050.1120	8712543028039	8712543028046	100	1.200
306.61060.1020	8712543052324	8712543052331	Spaanplaatschroeven platkop 6.0 x 60 staal gehard verzinkt	100	2.000	vs 206.61060.1020	8712543018610	8712543019259	100	1.200
306.61060.1120	8712543052348	8712543052355	Spaanplaatschroeven platkop 6.0 x 60 staal gehard geel	100	2.000	vs 206.61060.1120	8712543028053	8712543028060	100	1.200
306.61070.1020	8712543052362	8712543052379	Spaanplaatschroeven platkop 6.0 x 70 staal gehard verzinkt	100	1.000	vs 206.61070.1020	8712543018627	8712543019266	100	1.200
306.61070.1120	8712543052386	8712543052393	Spaanplaatschroeven platkop 6.0 x 70 staal gehard geel	100	1.000	vs 206.61070.1120	8712543028077	8712543028084	100	1.200
306.61080.1020	8712543052409	8712543052416	Spaanplaatschroeven platkop 6.0 x 80 staal gehard verzinkt	100	1.000	vs 206.61080.1020	8712543018634	8712543019273	100	1.100
306.61080.1120	8712543052423	8712543052430	Spaanplaatschroeven platkop 6.0 x 80 staal gehard geel	100	1.000	vs 206.61080.1120	8712543028091	8712543028107	100	1.100

Nieuw artikelnummer	EAN code ds	EAN code overdoos	Artikelnaam	Nieuw ds aantal	Nieuw overds aantal	DTL artikel nr	EAN code ds DTL	EAN code overds DTL	DTL ds aantal	DTL overds aantal
306.61090.1020	8712543052447	8712543052454	Spaanplaatschroeven platkop 6.0 x 90 staal gehard verzinkt	100	1.000	vs 206.61090.1020	8712543018641	8712543019280	100	1.100
306.61090.1120	8712543052461	8712543052478	Spaanplaatschroeven platkop 6.0 x 90 staal gehard geel	100	1.000	vs 206.61090.1120	8712543028114	8712543028121	100	1.100
306.61100.1020	8712543052485	8712543052492	Spaanplaatschroeven platkop 6.0 x 100 staal gehard verzinkt	100	1.000	vs 206.61100.1020	8712543018658	8712543019297	100	1.100
306.61100.1120	8712543052508	8712543052515	Spaanplaatschroeven platkop 6.0 x 100 staal gehard geel	100	1.000	vs 206.61100.1120	8712543028138	8712543028145	100	1.100
306.61110.1020	8712543052522	8712543052539	Spaanplaatschroeven platkop 6.0 x 110 staal gehard verzinkt	100	1.000	vs 206.61110.1020	8712543018665	8712543019303	100	1.100
306.61110.1120	8712543052546	8712543052553	Spaanplaatschroeven platkop 6.0 x 110 staal gehard geel	100	1.000	vs 206.61110.1120	8712543028152	8712543028169	100	1.100
306.61120.1020	8712543052560	8712543052577	Spaanplaatschroeven platkop 6.0 x 120 staal gehard verzinkt	100	1.000	vs 206.61120.1020	8712543018672	8712543019310	100	1.100
306.61120.1120	8712543052584	8712543052591	Spaanplaatschroeven platkop 6.0 x 120 staal gehard geel	100	1.000	vs 206.61120.1120	8712543028176	8712543028183	100	1.100
306.61130.1020	8712543052607	8712543052614	Spaanplaatschroeven platkop 6.0 x 130 staal gehard verzinkt	100	1.000	vs 206.61130.1020	8712543018689	8712543019327	100	1.100
306.61130.1120	8712543052621	8712543052638	Spaanplaatschroeven platkop 6.0 x 130 staal gehard geel	100	1.000	vs 206.61130.1120	8712543028190	8712543028206	100	1.100
306.61140.1020	8712543052645	8712543052652	Spaanplaatschroeven platkop 6.0 x 140 staal gehard verzinkt	100	600	vs 206.61140.1020	8712543018696	8712543019334	100	1.100
306.61140.1120	8712543052669	8712543052676	Spaanplaatschroeven platkop 6.0 x 140 staal gehard geel	100	600	vs 206.61140.1120	8712543028213	8712543028220	100	1.100
306.61150.1020	8712543052683	8712543052690	Spaanplaatschroeven platkop 6.0 x 150 staal gehard verzinkt	100	600	vs 206.61150.1020	8712543018702	8712543019341	100	1.100
306.61160.1020	8712543052706	8712543052713	Spaanplaatschroeven platkop 6.0 x 160 staal gehard verzinkt	100	600	vs 206.61160.1020	8712543018719	8712543019358	100	1.100
306.61160.1120	8712543052720	8712543052737	Spaanplaatschroeven platkop 6.0 x 160 staal gehard geel	100	600	vs 206.61160.1120	8712543028237	8712543028244	100	1.100
306.61180.1020	8712543052744	8712543052751	Spaanplaatschroeven platkop 6.0 x 180 staal gehard verzinkt	100	600	vs 206.61180.1020	8712543018726	8712543019365	100	1.100
306.61180.1120	8712543052768	8712543052775	Spaanplaatschroeven platkop 6.0 x 180 staal gehard geel	100	600	vs 206.61180.1120	8712543028251	8712543028268	100	1.100
306.61200.1020	8712543052782	8712543052799	Spaanplaatschroeven platkop 6.0 x 200 staal gehard verzinkt	100	600	vs 206.61200.1020	8712543018733	8712543019372	100	1.000
306.61200.1120	8712543052805	8712543052812	Spaanplaatschroeven platkop 6.0 x 200 staal gehard geel	100	600	vs 206.61200.1120	8712543028275	8712543028282	100	1.000
309.30016.1122	8712543060718	8712543060725	Spaanplaatschroeven platkop kop 5mm 3.0 x 16 gh geel	200	6.000	Nieuw			0	0
315.39012.1028	8712543060732	8712543060749	Zelftappende schroeven panhead 3.9 x 12 staal gehard vz	500	10.000	Nieuw			0	0
315.42014.1028	8712543060756	8712543060763	Zelftappende schroeven panhead 4.2 x 14 staal gehard vz	500	5.000	Nieuw			0	0
317.39012.1028	8712543060770	8712543060787	Zelftappende schroeven zeskant/zaagsnede 3.9 x 12 gh vz	500	10.000	Nieuw			0	0
317.42014.1028	8712543060794	8712543060800	Zelftappende schroeven zeskant/zaagsnede 4.2 x 14 gh vz	500	5.000	Nieuw			0	0
321.30016.9022	8712543054311	8712543054328	Spaanplaatschroeven platkop 3.0 x 16 RVS A2	200	6.000	vs 221.30016.9022	8712543648008	8712543703127	200	21.000
321.30020.9022	8712543054335	8712543054342	Spaanplaatschroeven platkop 3.0 x 20 RVS A2	200	6.000	vs 221.30020.9022	8712543648015	8712543703134	200	21.000
321.30025.9022	8712543054359	8712543054366	Spaanplaatschroeven platkop 3.0 x 25 RVS A2	200	6.000	vs 221.30025.9022	8712543648022	8712543703141	200	9.600
321.35020.9022	8712543054373	8712543054380	Spaanplaatschroeven platkop 3.5 x 20 RVS A2	200	6.000	vs 221.35020.9022	8712543648039	8712543703158	200	21.000
321.35025.9022	8712543054397	8712543054404	Spaanplaatschroeven platkop 3.5 x 25 RVS A2	200	6.000	vs 221.35025.9022	8712543648046	8712543703165	200	9.600
321.35030.9022	8712543054410	8712543054427	Spaanplaatschroeven platkop 3.5 x 30 RVS A2	200	6.000	vs 221.35030.9022	8712543648053	8712543703172	200	9.600
321.35035.9022	8712543054434	8712543054441	Spaanplaatschroeven platkop 3.5 x 35 RVS A2	200	6.000	vs 221.35035.9022	8712543648060	8712543703189	200	9.600
321.35040.9022	8712543054458	8712543054465	Spaanplaatschroeven platkop 3.5 x 40 RVS A2	200	6.000	vs 221.35040.9022	8712543648077	8712543703196	200	7.200
321.40016.9022	8712543054472	8712543054489	Spaanplaatschroeven platkop 4.0 x 16 RVS A2	200	6.000	vs 221.40016.9022	8712543648084	8712543703202	200	21.000
321.40020.9022	8712543054496	8712543054502	Spaanplaatschroeven platkop 4.0 x 20 RVS A2	200	6.000	vs 221.40020.9022	8712543648091	8712543703219	200	21.000
321.40025.9022	8712543054519	8712543054526	Spaanplaatschroeven platkop 4.0 x 25 RVS A2	200	6.000	vs 221.40025.9022	8712543648107	8712543703226	200	9.600
321.40030.9022	8712543054533	8712543054540	Spaanplaatschroeven platkop 4.0 x 30 RVS A2	200	6.000	vs 221.40030.9022	8712543648114	8712543703233	200	9.600
321.40035.9022	8712543054557	8712543054564	Spaanplaatschroeven platkop 4.0 x 35 RVS A2	200	6.000	vs 221.40035.9022	8712543648121	8712543703240	200	7.200
321.40040.9022	8712543054571	8712543054588	Spaanplaatschroeven platkop 4.0 x 40 RVS A2	200	6.000	vs 221.40040.9022	8712543648138	8712543703257	200	7.200
321.40045.9022	8712543054595	8712543054601	Spaanplaatschroeven platkop 4.0 x 45 RVS A2	200	6.000	vs 221.40045.9022	8712543648145	8712543703264	200	2.400
321.40050.9022	8712543054618	8712543054625	Spaanplaatschroeven platkop 4.0 x 50 RVS A2	200	6.000	vs 221.40050.9022	8712543648152	8712543703271	200	2.400
321.40060.9022	8712543054632	8712543054649	Spaanplaatschroeven platkop 4.0 x 60 RVS A2	200	4.000	vs 221.40060.9022	8712543648169	8712543703288	200	2.400
321.45020.9022	8712543054656	8712543054663	Spaanplaatschroeven platkop 4.5 x 20 RVS A2	200	6.000	vs 221.45020.9022	8712543648176	8712543703295	200	9.600
321.45025.9022	8712543054670	8712543054687	Spaanplaatschroeven platkop 4.5 x 25 RVS A2	200	6.000	vs 221.45025.9022	8712543648183	8712543703301	200	9.600
321.45030.9022	8712543054694	8712543054700	Spaanplaatschroeven platkop 4.5 x 30 RVS A2	200	6.000	vs 221.45030.9022	8712543648190	8712543703318	200	7.200
321.45040.9022	8712543054717	8712543054724	Spaanplaatschroeven platkop 4.5 x 40 RVS A2	200	4.000	vs 221.45040.9022	8712543648206	8712543703325	200	2.400
321.45045.9022	8712543054731	8712543054748	Spaanplaatschroeven platkop 4.5 x 45 RVS A2	200	4.000	vs 221.45045.9022	8712543648213	8712543703332	200	2.400
321.45050.9022	8712543054755	8712543054762	Spaanplaatschroeven platkop 4.5 x 50 RVS A2	200	4.000	vs 221.45050.9022	8712543648220	8712543703349	200	2.400
321.50040.9022	8712543054779	8712543054786	Spaanplaatschroeven platkop 5.0 x 40 RVS A2	200	4.000	vs 221.50040.9022	8712543648244	8712543703356	200	2.400
321.50050.9022	8712543054793	8712543054800	Spaanplaatschroeven platkop 5.0 x 50 RVS A2	200	2.000	vs 221.50050.9022	8712543648251	8712543703363	200	2.400
321.50060.9022	8712543054816	8712543054823	Spaanplaatschroeven platkop 5.0 x 60 RVS A2	200	2.000	vs 221.50060.9022	8712543648268	8712543703370	200	2.400
321.60040.9020	8712543054830	8712543054847	Spaanplaatschroeven platkop 6.0 x 40 RVS A2	100	3.000	vs 221.60040.9020	8712543648312	8712543703387	100	3.600
321.60050.9020	8712543054854	8712543054861	Spaanplaatschroeven platkop 6.0 x 50 RVS A2	100	2.000	vs 221.60050.9020	8712543648329	8712543703394	100	1.200
321.60060.9020	8712543054878	8712543054885	Spaanplaatschroeven platkop 6.0 x 60 RVS A2	100	2.000	vs 221.60060.9020	8712543648336	8712543703400	100	1.200
321.60100.9020	8712543060817	8712543060824	Spaanplaatschroeven platkop 6.0 x 100 RVS A2	100	1.000	vs 221.60100.9020	8712543648305		100	1.100
322.40050.9022	8712543054892	8712543054908	Spaanplaatschroeven platkop 4.0 x 50 RVS A2	200	6.000	vs 222.40050.9022	8712543648367	8712543703417	200	2.400

Nieuw artikelnummer	EAN code ds	EAN code overdoos	Artikelnaam	Nieuw ds aantal	Nieuw overds aantal		DTL artikel nr	EAN code ds DTL	EAN code overds DTL	DTL ds aantal	DTL overds aantal
322.40060.9022	8712543054915	8712543054922	Spaanplaatschroeven platkop 4.0 x 60 RVS A2	200	4.000	vs	222.40060.9022	8712543648374	8712543703424	200	2.400
322.40070.9022	8712543054939	8712543054946	Spaanplaatschroeven platkop 4.0 x 70 RVS A2	200	4.000	vs	222.40070.9022	8712543648381	8712543703431	200	2.200
322.45060.9022	8712543054953	8712543054960	Spaanplaatschroeven platkop 4.5 x 60 RVS A2	200	4.000	vs	222.45060.9022	8712543648398	8712543703448	200	2.400
322.50050.9022	8712543054977	8712543054984	Spaanplaatschroeven platkop 5.0 x 50 RVS A2	200	2.000	vs	222.50050.9022	8712543648411	8712543703455	200	2.400
322.50060.9022	8712543054991	8712543055004	Spaanplaatschroeven platkop 5.0 x 60 RVS A2	200	2.000	vs	222.50060.9022	8712543648428	8712543703462	200	2.400
322.50070.9022	8712543055011	8712543055028	Spaanplaatschroeven platkop 5.0 x 70 RVS A2	200	2.000	vs	222.50070.9022	8712543648435	8712543703479	200	1.600
322.50080.9022	8712543055035	8712543055042	Spaanplaatschroeven platkop 5.0 x 80 RVS A2	200	2.000	vs	222.50080.9022	8712543648442	8712543703486	200	1.600
322.50090.9022	8712543055059	8712543055066	Spaanplaatschroeven platkop 5.0 x 90 RVS A2	200	2.000	vs	222.50090.9022	8712543648459	8712543703493	200	2.200
322.50100.9022	8712543055073	8712543055080	Spaanplaatschroeven platkop 5.0 x 100 RVS A2	200	1.600	vs	222.50100.9022	8712543648404	8712543703509	200	2.200
322.60060.9020	8712543055097	8712543055103	Spaanplaatschroeven platkop 6.0 x 60 RVS A2	100	2.000	vs	222.60060.9020	8712543648480	8712543703516	100	1.200
322.60080.9020	8712543055110	8712543055127	Spaanplaatschroeven platkop 6.0 x 80 RVS A2	100	1.000	vs	222.60080.9020	8712543648497	8712543703523	100	1.100
322.60090.9020	8712543055134	8712543055141	Spaanplaatschroeven platkop 6.0 x 90 RVS A2	100	1.000	vs	222.60090.9020	8712543648503	8712543703530	100	1.100
322.60100.9020	8712543055158	8712543055165	Spaanplaatschroeven platkop 6.0 x 100 RVS A2	100	1.000	vs	222.60100.9020	8712543648466	8712543703547	100	1.100
322.60120.9020	8712543055172	8712543055189	Spaanplaatschroeven platkop 6.0 x 120 RVS A2	100	1.000	vs	222.60120.9020	8712543648473	8712543703554	100	1.100
324.32030.9422	8712543055196	8712543055202	Glaslatschroeven zelfborend lenskop 3.2 x 30 RVS 410	200	6.000	vs	224.32030.9422	8712543044534	8712543044541	200	9.600
324.32035.9422	8712543055219	8712543055226	Glaslatschroeven zelfborend lenskop 3.2 x 35 RVS 410	200	6.000	vs	224.32035.9422	8712543044565	8712543044572	200	9.600
324.32040.9422	8712543055233	8712543055240	Glaslatschroeven zelfborend lenskop 3.2 x 40 RVS 410	200	6.000	vs	224.32040.9422	8712543044596	8712543044602	200	9.600
324.32050.9422	8712543055257	8712543055264	Glaslatschroeven zelfborend lenskop 3.2 x 50 RVS 410	200	6.000	vs	224.32050.9422	8712543044626	8712543044633	200	9.600
325.30016.9022	8712543055271	8712543055288	Spaanplaatschroeven platkop 3.0 x 16 RVS A2	200	6.000	vs	225.30016.9022	8712543648510	8712543703561	200	21.000
325.30020.9022	8712543055295	8712543055301	Spaanplaatschroeven platkop 3.0 x 20 RVS A2	200	6.000	vs	225.30020.9022	8712543648527	8712543703578	200	21.000
325.30025.9022	8712543055318	8712543055325	Spaanplaatschroeven platkop 3.0 x 25 RVS A2	200	6.000	vs	225.30025.9022	8712543648534	8712543703585	200	9.600
325.30030.9022	8712543055332	8712543055349	Spaanplaatschroeven platkop 3.0 x 30 RVS A2	200	6.000	vs	225.30030.9022	8712543648541	8712543703592	200	9.600
325.30035.9022	8712543055356	8712543055363	Spaanplaatschroeven platkop 3.0 x 35 RVS A2	200	6.000	vs	225.30035.9022	8712543648558	8712543703608	200	9.600
325.35020.9022	8712543060831	8712543060848	Spaanplaatschroeven platkop 3.5 x 20 RVS A2	200	6.000	vs	225.35020.9022	8712543648565	8712543703615	200	21.000
325.35025.9022	8712543060855	8712543060862	Spaanplaatschroeven platkop 3.5 x 25 RVS A2	200	6.000	vs	225.35025.9022	8712543648572	8712543703622	200	9.600
325.35030.9022	8712543060879	8712543060886	Spaanplaatschroeven platkop 3.5 x 30 RVS A2	200	6.000	vs	225.35030.9022	8712543648589	8712543703639	200	9.600
325.35035.9022	8712543060893	8712543060909	Spaanplaatschroeven platkop 3.5 x 35 RVS A2	200	6.000	vs	225.35035.9022	8712543648596	8712543703646	200	9.600
325.36020.9022	8712543055370	8712543055387	Spaanplaatschroeven platkop 3.5 x 20 RVS A2	200	6.000	vs	225.36020.9022	8712543652241	8712543713263	200	21.000
325.36025.9022	8712543055394	8712543055400	Spaanplaatschroeven platkop 3.5 x 25 RVS A2	200	6.000	vs	225.36025.9022	8712543652258	8712543713270	200	9.600
325.36030.9022	8712543055417	8712543055424	Spaanplaatschroeven platkop 3.5 x 30 RVS A2	200	6.000	vs	225.36030.9022	8712543652265	8712543713287	200	9.600
325.36035.9022	8712543055431	8712543055448	Spaanplaatschroeven platkop 3.5 x 35 RVS A2	200	6.000	vs	225.36035.9022	8712543652272	8712543713294	200	9.600
325.36040.9022	8712543055455	8712543055462	Spaanplaatschroeven platkop 3.5 x 40 RVS A2	200	6.000	vs	225.36040.9022	8712543652289	8712543713300	200	7.200
325.40016.9022	8712543055479	8712543055486	Spaanplaatschroeven platkop 4.0 x 16 RVS A2	200	6.000	vs	225.40016.9022	8712543648619	8712543703660	200	21.000
325.40020.9022	8712543055493	8712543055509	Spaanplaatschroeven platkop 4.0 x 20 RVS A2	200	6.000	vs	225.40020.9022	8712543648626	8712543703677	200	21.000
325.40025.9022	8712543055516	8712543055523	Spaanplaatschroeven platkop 4.0 x 25 RVS A2	200	6.000	vs	225.40025.9022	8712543648633	8712543703684	200	9.600
325.40030.9022	8712543055530	8712543055547	Spaanplaatschroeven platkop 4.0 x 30 RVS A2	200	6.000	vs	225.40030.9022	8712543648640	8712543703691	200	9.600
325.40035.9022	8712543055554	8712543055561	Spaanplaatschroeven platkop 4.0 x 35 RVS A2	200	6.000	vs	225.40035.9022	8712543648657	8712543703707	200	7.200
325.40040.9022	8712543055578	8712543055585	Spaanplaatschroeven platkop 4.0 x 40 RVS A2	200	6.000	vs	225.40040.9022	8712543648664	8712543703714	200	7.200
325.40045.9022	8712543055592	8712543055608	Spaanplaatschroeven platkop 4.0 x 45 RVS A2	200	6.000	vs	225.40045.9022	8712543648671	8712543703721	200	2.400
325.40050.9022	8712543055615	8712543055622	Spaanplaatschroeven platkop 4.0 x 50 RVS A2	200	6.000	vs	225.40050.9022	8712543648688	8712543703738	200	2.400
325.40060.9022	8712543055639	8712543055646	Spaanplaatschroeven platkop 4.0 x 60 RVS A2	200	4.000	vs	225.40060.9022	8712543648695	8712543703745	200	2.400
325.45025.9022	8712543055653	8712543055660	Spaanplaatschroeven platkop 4.5 x 25 RVS A2	200	6.000	vs	225.45025.9022	8712543648701	8712543703752	200	9.600
325.45030.9022	8712543055677	8712543055684	Spaanplaatschroeven platkop 4.5 x 30 RVS A2	200	6.000	vs	225.45030.9022	8712543648718	8712543703769	200	7.200
325.45035.9022	8712543055691	8712543055707	Spaanplaatschroeven platkop 4.5 x 35 RVS A2	200	6.000	vs	225.45035.9022	8712543648725	8712543703776	200	7.200
325.45040.9022	8712543055714	8712543055721	Spaanplaatschroeven platkop 4.5 x 40 RVS A2	200	4.000	vs	225.45040.9022	8712543648732	8712543703783	200	2.400
325.45045.9022	8712543055738	8712543055745	Spaanplaatschroeven platkop 4.5 x 45 RVS A2	200	4.000	vs	225.45045.9022	8712543648749	8712543703790	200	2.400
325.45050.9022	8712543055752	8712543055769	Spaanplaatschroeven platkop 4.5 x 50 RVS A2	200	4.000	vs	225.45050.9022	8712543648756	8712543703806	200	2.400
325.50030.9022	8712543055776	8712543055783	Spaanplaatschroeven platkop 5.0 x 30 RVS A2	200	6.000	vs	225.50030.9022	8712543648770	8712543703813	200	7.200
325.50040.9022	8712543055790	8712543055806	Spaanplaatschroeven platkop 5.0 x 40 RVS A2	200	4.000	vs	225.50040.9022	8712543648787	8712543703820	200	2.400
325.50050.9022	8712543055813	8712543055820	Spaanplaatschroeven platkop 5.0 x 50 RVS A2	200	2.000	vs	225.50050.9022	8712543648794	8712543703837	200	2.400
325.50060.9022	8712543055837	8712543055844	Spaanplaatschroeven platkop 5.0 x 60 RVS A2	200	2.000	vs	225.50060.9022	8712543648800	8712543703844	200	2.400
325.50090.9022	8712543060916	8712543060923	Spaanplaatschroeven platkop 5.0 x 90 RVS A2	200	2.000	vs	225.50090.9022	8712543648831	8712543703851	200	2.200
325.60040.9020	8712543060930	8712543060947	Spaanplaatschroeven platkop 6.0 x 40 RVS A2	100	3.000	vs	225.60040.9020	8712543648848	8712543703858	100	3.600
325.60050.9020	8712543060954	8712543060961	Spaanplaatschroeven platkop 6.0 x 50 RVS A2	100	2.000	vs	225.60050.9020	8712543648855	8712543703865	100	1.200
325.60080.9020	8712543060978	8712543060985	Spaanplaatschroeven platkop 6.0 x 80 RVS A2	100	1.000	vs	225.60080.9020	8712543648879	8712543703879	100	1.100

Nieuw artikelnummer	EAN code ds	EAN code overdoos	Artikelnaam	Nieuw ds aantal	Nieuw overds aantal	DTL artikel nr	EAN code ds DTL	EAN code overds DTL	DTL ds aantal	DTL overds aantal
325.60090.9020	8712543060992	8712543061005	Spaanplaatschroeven platkop 6.0 x 90 RVS A2	100	1.000	vs 225.60090.9020	8712543648886		100	1.100
325.61035.9020	8712543055851	8712543055868	Spaanplaatschroeven platkop 6.0 x 35 RVS A2	100	3.000	vs 225.61035.9020	8712543044930	8712543044947	100	3.600
325.61040.9020	8712543055875	8712543055882	Spaanplaatschroeven platkop 6.0 x 40 RVS A2	100	3.000	vs 225.61040.9020	8712543651978	8712543713089	100	3.600
325.61050.9020	8712543055899	8712543055905	Spaanplaatschroeven platkop 6.0 x 50 RVS A2	100	2.000	vs 225.61050.9020	8712543651985	8712543713096	100	1.200
325.61060.9020	8712543055912	8712543055929	Spaanplaatschroeven platkop 6.0 x 60 RVS A2	100	2.000	vs 225.61060.9020	8712543651992	8712543713102	100	1.200
326.40040.9022	8712543055936	8712543055943	Spaanplaatschroeven platkop 4.0 x 40 RVS A2	200	6.000	vs 226.40040.9022	8712543648893	8712543703882	200	7.200
326.40050.9022	8712543055950	8712543055967	Spaanplaatschroeven platkop 4.0 x 50 RVS A2	200	6.000	vs 226.40050.9022	8712543648909	8712543703899	200	2.400
326.40060.9022	8712543055974	8712543055981	Spaanplaatschroeven platkop 4.0 x 60 RVS A2	200	4.000	vs 226.40060.9022	8712543648916	8712543703905	200	2.400
326.45060.9022	8712543055998	8712543056001	Spaanplaatschroeven platkop 4.5 x 60 RVS A2	200	4.000	vs 226.45060.9022	8712543648923	8712543703912	200	2.400
326.50050.9022	8712543056018	8712543056025	Spaanplaatschroeven platkop 5.0 x 50 RVS A2	200	2.000	vs 226.50050.9022	8712543648947	8712543703929	200	2.400
326.50060.9022	8712543056032	8712543056049	Spaanplaatschroeven platkop 5.0 x 60 RVS A2	200	2.000	vs 226.50060.9022	8712543648954	8712543703936	200	2.400
326.50070.9022	8712543056056	8712543056063	Spaanplaatschroeven platkop 5.0 x 70 RVS A2	200	2.000	vs 226.50070.9022	8712543648961	8712543703943	200	1.600
326.50080.9022	8712543056070	8712543056087	Spaanplaatschroeven platkop 5.0 x 80 RVS A2	200	2.000	vs 226.50080.9022	8712543648978	8712543703950	200	1.600
326.50090.9022	8712543056094	8712543056100	Spaanplaatschroeven platkop 5.0 x 90 RVS A2	200	2.000	vs 226.50090.9022	8712543648985	8712543703967	200	2.200
326.50100.9022	8712543056117	8712543056124	Spaanplaatschroeven platkop 5.0 x 100 RVS A2	200	1.600	vs 226.50100.9022	8712543648993	8712543703974	200	2.200
326.60050.9020	8712543061012	8712543061029	Spaanplaatschroeven platkop 6.0 x 50 RVS A2	100	2.000	vs 226.60050.9020	8712543649012	8712543703981	100	1.200
326.60080.9020	8712543061036	8712543061043	Spaanplaatschroeven platkop 6.0 x 80 RVS A2	100	1.000	vs 226.60080.9020	8712543649036	8712543704001	100	1.100
326.60090.9020	8712543061050	8712543061067	Spaanplaatschroeven platkop 6.0 x 90 RVS A2	100	1.000	vs 226.60090.9020	8712543649043	8712543704018	100	1.100
326.61035.9020	8712543056131	8712543056148	Spaanplaatschroeven platkop 6.0 x 35 RVS A2	100	3.000	vs 226.61035.9020	8712543044961	8712543044978	100	3.600
326.61050.9020	8712543056155	8712543056162	Spaanplaatschroeven platkop 6.0 x 50 RVS A2	100	2.000	vs 226.61050.9020	8712543652005	8712543713119	100	1.200
326.61060.9020	8712543056179	8712543056186	Spaanplaatschroeven platkop 6.0 x 60 RVS A2	100	2.000	vs 226.61060.9020	8712543652012	8712543713126	100	1.200
326.61080.9020	8712543056193	8712543056209	Spaanplaatschroeven platkop 6.0 x 80 RVS A2	100	1.000	vs 226.61080.9020	8712543652029	8712543713133	100	1.100
326.61090.9020	8712543056216	8712543056223	Spaanplaatschroeven platkop 6.0 x 90 RVS A2	100	1.000	vs 226.61090.9020	8712543652036	8712543713140	100	1.100
326.61100.9020	8712543056230	8712543056247	Spaanplaatschroeven platkop 6.0 x 100 RVS A2	100	1.000	vs 226.61100.9020	8712543652043	8712543713157	100	1.100
326.61120.9020	8712543056254	8712543056261	Spaanplaatschroeven platkop 6.0 x 120 RVS A2	100	1.000	vs 226.61120.9020	8712543652050	8712543713164	100	1.100
327.40040.9422	8712543056278	8712543056285	Vlonderschroeven 4.0 x 40 RVS 410	200	6.000	vs 227.40040.9422	8712543017019	8712543017170	200	7.200
327.40050.9422	8712543056292	8712543056308	Vlonderschroeven 4.0 x 50 RVS 410	200	6.000	vs 227.40050.9422	8712543017026	8712543017187	200	2.400
327.40060.9422	8712543056315	8712543056322	Vlonderschroeven 4.0 x 60 RVS 410	200	4.000	vs 227.40060.9422	8712543017033	8712543017194	200	2.400
327.50040.9422	8712543056339	8712543056346	Vlonderschroeven 5.0 x 40 RVS 410	200	4.000	vs 227.50040.9422	8712543017040	8712543017200	200	2.400
327.50050.9422	8712543056353	8712543056360	Vlonderschroeven 5.0 x 50 RVS 410	200	2.000	vs 227.50050.9422	8712543017057	8712543017217	200	2.400
327.50060.9422	8712543056377	8712543056384	Vlonderschroeven 5.0 x 60 RVS 410	200	2.000	vs 227.50060.9422	8712543017064	8712543017224	200	2.400
327.50070.9422	8712543056391	8712543056407	Vlonderschroeven 5.0 x 70 RVS 410	200	2.000	vs 227.50070.9422	8712543017071	8712543017231	200	1.600
327.50080.9422	8712543056414	8712543056421	Vlonderschroeven 5.0 x 80 RVS 410	200	2.000	vs 227.50080.9422	8712543017088	8712543017248	200	1.600
330.39035.1428	8712543061074	8712543061081	Snelbouwschroeven fijne draad conische kop 3.9 x 35 gh fosf.	500	5.000	vs Nieuw				
330.39045.1428	8712543061098	8712543061104	Snelbouwschroeven fijne draad conische kop 3.9 x 45 gh fosf.	500	5.000	vs Nieuw				
331.35025.1430	8712543056438	8712543056445	Snelbouw fijn S trompet 3.5 x 25 gh fosf. zw.	1.000	20.000	vs 231.35025.1430	8712543625801	8712543704049	1.000	8.000
331.35035.1430	8712543056452	8712543056469	Snelbouw fijn S trompet 3.5 x 35 gh fosf. zw.	1.000	10.000	vs 231.35035.1430	8712543625818	8712543704056	1.000	10.000
331.35045.1430	8712543056476	8712543056483	Snelbouw fijn S trompet 3.5 x 45 gh fosf. zw.	1.000	10.000	vs 231.35045.1430	8712543625825	8712543704063	1.000	6.000
331.35055.1430	8712543056490	8712543056506	Snelbouw fijn S trompet 3.5 x 55 gh fosf. zw.	1.000	6.000	vs 231.35055.1430	8712543625832	8712543704070	1.000	4.000
331.39025.1430	8712543056513	8712543056520	Snelbouw fijn S trompet 3.9 x 25 gh fosf. zw.	1.000	10.000	vs 231.39025.1430	8712543625849	8712543704087	1.000	8.000
331.39035.1430	8712543056537	8712543056544	Snelbouw fijn S trompet 3.9 x 35 gh fosf. zw.	1.000	10.000	vs 231.39035.1430	8712543625856	8712543704094	1.000	10.000
331.39045.1430	8712543056551	8712543056568	Snelbouw fijn S trompet 3.9 x 45 gh fosf. zw.	1.000	10.000	vs 231.39045.1430	8712543625863	8712543704100	1.000	6.000
331.39055.1430	8712543056575	8712543056582	Snelbouw fijn S trompet 3.9 x 55 gh fosf. zw.	1.000	6.000	vs 231.39055.1430	8712543625870	8712543704117	1.000	4.000
331.42045.1428	8712543061111	8712543061128	Snelbouw fijn S trompet 4.2 x 45 gh fosf. zw.	500	4.000	vs Nieuw				
331.42055.1428	8712543061135	8712543061142	Snelbouw fijn S trompet 4.2 x 55 gh fosf. zw.	500	4.000	vs Nieuw				
331.42065.1430	8712543056599		Snelbouw fijn S trompet 4.2 x 65 gh fosf. zw.	1.000	6.000	vs 231.42065.1430	8712543625887		1.000	1.000
331.42075.1430	8712543056605		Snelbouw fijn S trompet 4.2 x 75 gh fosf. zw.	1.000	6.000	vs 231.42075.1430	8712543625894		1.000	1.000
331.42085.1423	8712543061159	8712543061166	Snelbouw fijn S trompet 4.2 x 85 gh fosf. zw.	250	2.500	vs Nieuw				
331.48090.1423	8712543061173	8712543061180	Snelbouw fijn S trompet 4.8 x 90 gh fosf. zw.	250	1.500	vs Nieuw				
331.48100.1423	8712543061197	8712543061203	Snelbouw fijn S trompet 4.8 x 100 gh fosf. zw.	250	1.500	vs Nieuw				
331.48110.1423	8712543061210	8712543061227	Snelbouw fijn S trompet 4.8 x 110 gh fosf. zw.	250	1.500	vs Nieuw				
331.48120.1422	8712543061234	8712543061241	Snelbouw fijn S trompet kvp 4.8 x 120 gh fosf. zw.	200	1.200	vs Nieuw				
331.48130.1422	8712543061258	8712543061265	Snelbouw fijn S trompet kvp 4.8 x 130 gh fosf. zw.	200	1.200	vs Nieuw				
331.48140.1422	8712543061272	8712543061289	Snelbouw fijn S trompet kvp 4.8 x 140 gh fosf. zw.	200	1.200	vs Nieuw				
331.48150.1422	8712543061296	8712543061302	Snelbouw fijn S trompet kvp 4.8 x 150 gh fosf. zw.	200	1.200	vs Nieuw				

Nieuw artikelnummer	EAN code ds	EAN code overdoos	Artikelnaam	Nieuw ds aantal	Nieuw overds aantal	DTL artikel nr	EAN code ds DTL	EAN code overds DTL	DTL ds aantal	DTL overds aantal	
332.39025.1430	8712543056612	8712543056629	Snelbouw grof C trompet 3.9 x 25 gh fosf. zw.	1.000	10.000	vs	232.39025.1430	8712543625900	8712543704124	1.000	8.000
332.39035.1430	8712543056636	8712543056643	Snelbouw grof C trompet 3.9 x 35 gh fosf. zw.	1.000	10.000	vs	232.39035.1430	8712543625917	8712543704131	1.000	10.000
332.39045.1430	8712543056650	8712543056667	Snelbouw grof C trompet 3.9 x 45 gh fosf. zw.	1.000	10.000	vs	232.39045.1430	8712543625924	8712543704148	1.000	6.000
332.39055.1430	8712543056674	8712543056681	Snelbouw grof C trompet 3.9 x 55 gh fosf. zw.	1.000	6.000	vs	232.39055.1430	8712543625931	8712543704155	1.000	4.000
332.42065.1430	8712543056698		Snelbouw grof C trompet 4.2 x 65 gh fosf. zw.	1.000	6.000	vs	232.42065.1430	8712543625948		1.000	1.000
332.42075.1430	8712543056704		Snelbouw grof C trompet 4.2 x 75 gh fosf. zw.	1.000	6.000	vs	232.42075.1430	8712543625955		1.000	1.000
333.39019.1430	8712543056711	8712543056728	Snelbouw hi-lo Fermacell 3.9 x 19 gh fosf. zw.	1.000	10.000	vs	233.39019.1430	8712543625962	8712543704162	1.000	8.000
333.39025.1430	8712543056735	8712543056742	Snelbouw hi-lo Fermacell 3.9 x 25 gh fosf. zw.	1.000	10.000	vs	233.39025.1430	8712543625979	8712543704179	1.000	8.000
333.39030.1430	8712543056759	8712543056766	Snelbouw hi-lo Fermacell 3.9 x 30 gh fosf. zw.	1.000	10.000	vs	233.39030.1430	8712543625986	8712543704186	1.000	11.000
333.39035.1430	8712543056773	8712543056780	Snelbouw hi-lo Fermacell 3.9 x 35 gh fosf. zw.	1.000	10.000	vs	233.39035.1430	8712543625993	87125436252852	1.000	10.000
333.39045.1430	8712543056797	8712543056803	Snelbouw hi-lo Fermacell 3.9 x 45 gh fosf. zw.	1.000	10.000	vs	233.39045.1430	8712543625999	8712543704193	1.000	6.000
333.39055.1428	8712543061319	8712543061326	Snelbouw hi-lo Fermacell 3.9 x 55 gh fosf.	500	5.000	vs	Nieuw				
333.39055.1430	8712543655662	8712543655679	Snelbouw hi-lo Fermacell 3.9 x 55 gh fosf.	1.000	6.000	vs	Nieuw				
340.35013.1022	8712543061333	8712543061340	Zelfb. laagbolkop fl DIN7504T 3.5 x 13 gh vz	200	6.000	vs	Nieuw				
341.35013.1022	8712543061357	8712543061364	Zelfborende schroeven platkop DIN7504O (P) 3.5 x 13 gh vz	200	6.000	vs	241.35013.1022	8712543011468	8712543014940	200	21.000
341.35016.1022	8712543061371	8712543061388	Zelfborende schroeven platkop DIN7504O (P) 3.5 x 16 gh vz	200	6.000	vs	241.35016.1022	8712543011475	8712543014957	200	21.000
341.35019.1022	8712543056810	8712543056827	Zelfborende schroeven platkop DIN7504P 3.5 x 19 gh vz	200	6.000	vs	241.35019.1022	8712543615758	8712543712600	200	9.600
341.35025.1022	8712543061395	8712543061401	Zelfborende schroeven platkop DIN7504O (P) 3.5 x 25 gh vz	200	6.000	vs	241.35025.1022	8712543011482	8712543014964	200	9.600
341.42013.1022	8712543061418	8712543061425	Zelfborende schroeven platkop DIN7504O (P) 4.2 x 13 gh vz	200	6.000	vs	241.42013.1022	8712543011499	8712543014971	200	9.600
341.42016.1022	8712543056834	8712543056841	Zelfborende schroeven platkop DIN7504P 4.2 x 16 gh vz	200	6.000	vs	241.42016.1022	8712543011505	8712543014988	200	9.600
341.42019.1022	8712543061432	8712543061449	Zelfborende schroeven platkop DIN7504O (P) 4.2 x 19 gh vz	200	6.000	vs	241.42019.1022	8712543011512	8712543014995	200	7.200
341.42025.1022	8712543061456	8712543061463	Zelfborende schroeven platkop DIN7504O (P) 4.2 x 25 gh vz	200	6.000	vs	241.42025.1022	8712543011529	8712543015008	200	2.400
341.42032.1022	8712543061470	8712543061487	Zelfborende schroeven platkop DIN7504O (P) 4.2 x 32 gh vz	200	6.000	vs	241.42032.1022	8712543011536	8712543015015	200	2.400
341.48025.1022	8712543056858	8712543056865	Zelfborende schroeven platkop DIN7504P 4.8 x 25 gh vz	200	4.000	vs	241.48025.1022	8712543713362	8712543713386	200	2.400
341.48038.1022	8712543056872	8712543056889	Zelfborende schroeven platkop DIN7504P 4.8 x 38 gh vz	200	2.000	vs	241.48038.1022	8712543713379	8712543713393	200	2.400
343.35009.1022	8712543061494	8712543061500	Zelfborende schroeven panhead DIN7504N 3.5 x 9,5 gh vz	200	6.000	vs	243.35009.1022	8712543011543	8712543015022	200	21.000
343.35013.1022	8712543061517	8712543061524	Zelfborende schroeven panhead DIN7504N 3.5 x 13 gh vz	200	6.000	vs	243.35013.1022	8712543011550	8712543015039	200	21.000
343.35016.1022	8712543061531	8712543061548	Zelfborende schroeven panhead DIN7504N 3.5 x 16 gh vz	200	6.000	vs	243.35016.1022	8712543011567	8712543015046	200	21.000
343.35019.1022	8712543061555	8712543061562	Zelfborende schroeven panhead DIN7504N 3.5 x 19 gh vz	200	6.000	vs	243.35019.1022	8712543011574	8712543015053	200	9.600
343.35025.1022	8712543061579	8712543061586	Zelfborende schroeven panhead DIN7504N 3.5 x 25 gh vz	200	6.000	vs	243.35025.1022	8712543011581	8712543015060	200	9.600
343.35032.1022	8712543061593	8712543061609	Zelfborende schroeven panhead DIN7504N 3.5 x 32 gh vz	200	6.000	vs	243.35032.1022	8712543011598	8712543015077	200	9.600
343.39019.1022	8712543056896	8712543056902	Zelfborende schroeven panhead DIN7504N 3.9 x 19 gh vz	200	6.000	vs	243.39019.1022	8712543615857	8712543712709	200	7.200
343.42013.1022	8712543061616	8712543061623	Zelfborende schroeven panhead DIN7504N 4.2 x 13 gh vz	200	6.000	vs	243.42013.1022	8712543011604	8712543015084	200	9.600
343.42016.1022	8712543061630	8712543061647	Zelfborende schroeven panhead DIN7504N 4.2 x 16 gh vz	200	6.000	vs	243.42016.1022	8712543011611	8712543015091	200	9.600
343.42019.1022	8712543061654	8712543061661	Zelfborende schroeven panhead DIN7504N 4.2 x 19 gh vz	200	6.000	vs	243.42019.1022	8712543011628	8712543015107	200	7.200
343.42022.1022	8712543056919	8712543056926	Zelfborende schroeven panhead DIN7504N 4.2 x 22 gh vz	200	6.000	vs	243.42022.1022	8712543615888	8712543712730	200	7.200
343.42025.1022	8712543061678	8712543061685	Zelfborende schroeven panhead DIN7504N 4.2 x 25 gh vz	200	6.000	vs	243.42025.1022	8712543011635	8712543015114	200	2.400
343.42032.1022	8712543061692	8712543061708	Zelfborende schroeven panhead DIN7504N 4.2 x 32 gh vz	200	4.000	vs	243.42032.1022	8712543011642	8712543015121	200	2.400
343.48013.1022	8712543056933	8712543056940	Zelfborende schroeven panhead DIN7504N 4.8 x 13 gh vz	200	6.000	vs	243.48013.1022	8712543615895	8712543712747	200	9.600
343.48016.1022	8712543061715	8712543061722	Zelfborende schroeven panhead DIN7504N 4.8 x 16 gh vz	200	6.000	vs	243.48016.1022	8712543011659	8712543015138	200	9.600
343.48019.1022	8712543061739	8712543061746	Zelfborende schroeven panhead DIN7504N 4.8 x 19 gh vz	200	6.000	vs	243.48019.1022	8712543011666	8712543015145	200	9.600
343.48025.1022	8712543061753	8712543061760	Zelfborende schroeven panhead DIN7504N 4.8 x 25 gh vz	200	6.000	vs	243.48025.1022	8712543011673	8712543015152	200	9.600
343.48032.1022	8712543056957	8712543056964	Zelfborende schroeven panhead DIN7504N 4.8 x 32 gh vz	200	6.000	vs	243.48032.1022	8712543011680	8712543015169	200	7.200
343.48038.1022	8712543061777	8712543061784	Zelfborende schroeven panhead DIN7504N 4.8 x 38 gh vz	200	2.000	vs	243.48038.1022	8712543011697	8712543015176	200	7.200
343.55032.1022	8712543056971	8712543056988	Zelfborende schroeven panhead DIN7504N 5.5 x 32 gh vz	200	2.000	vs	243.55032.1022	8712543615932	8712543712785	200	2.400
343.63025.1022	8712543056995	8712543057008	Zelfborende schroeven panhead DIN7504N 6.3 x 25 gh vz	200	2.000	vs	243.63025.1022	8712543615956	8712543712808	200	1.600
344.35016.1022	8712543061791	8712543061807	Zelfborend panhead binnenvierk DIN7504M 3.5 x 16 gh vz	200	6.000	vs	244.35016.1022	8712543011727	8712543015206	200	21.000
344.35019.1022	8712543061814	8712543061821	Zelfborend panhead binnenvierk DIN7504M 3.5 x 19 gh vz	200	6.000	vs	244.35019.1022	8712543011734	8712543015213	200	9.600
344.35109.1022	8712543061838	8712543061845	Zelfborend panhead binnenvierk DIN7504M 3.5 x 9,5 gh vz	200	6.000	vs	244.35109.1022	8712543011741	8712543015220	200	21.000
344.35113.1022	8712543061852	8712543061869	Zelfborend panhead binnenvierk DIN7504M 3.5 x 13 gh vz	200	6.000	vs	244.35113.1022	8712543011758	8712543015237	200	21.000
344.35116.1022	8712543061876	8712543061883	Zelfborend panhead binnenvierk DIN7504M 3.5 x 16 gh vz	200	6.000	vs	244.35116.1022	8712543011765	8712543015244	200	21.000
344.35119.1022	8712543061890	8712543061906	Zelfborend panhead binnenvierk DIN7504M 3.5 x 19 gh vz	200	6.000	vs	244.35119.1022	8712543011772	8712543015251	200	9.600
344.42013.1022	8712543061913	8712543061920	Zelfborend panhead binnenvierk DIN7504M 4.2 x 13 gh vz	200	6.000	vs	244.42013.1022	8712543011789	8712543015268	200	9.600
344.42016.1022	8712543061937	8712543061944	Zelfborend panhead binnenvierk DIN7504M 4.2 x 16 gh vz	200	6.000	vs	244.42016.1022	8712543011796	8712543015275	200	9.600
344.42019.1022	8712543061951	8712543061968	Zelfborend panhead binnenvierk DIN7504M 4.2 x 19 gh vz	200	6.000	vs	244.42019.1022	8712543011802	8712543015282	200	7.200

Nieuw artikelnummer	EAN code ds	EAN code overdoos	Artikelnaam	Nieuw ds aantal	Nieuw overds aantal	DTL artikel nr	EAN code ds DTL	EAN code overds DTL	DTL ds aantal	DTL overds aantal
344.42025.1022	8712543061975	8712543061982	Zelfborend panhead binnenvierk DIN7504M 4.2 x 25 gh vz	200	6.000	vs 244.42025.1022	8712543011819	8712543015299	200	2.400
344.42032.1022	8712543061999	8712543062002	Zelfborend panhead binnenvierk DIN7504M 4.2 x 32 gh vz	200	6.000	vs 244.42032.1022	8712543011826	8712543015305	200	2.400
344.42038.1022	8712543062019	8712543062026	Zelfborend panhead binnenvierk DIN7504M 4.2 x 38 gh vz	200	4.000	vs 244.42038.1022	8712543011833	8712543015312	200	1.600
344.42050.1022	8712543062033	8712543062040	Zelfborend panhead binnenvierk DIN7504M 4.2 x 50 gh vz	200	2.000	vs 244.42050.1022	8712543011840	8712543015329	200	1.600
344.42063.1022	8712543062057	8712543062064	Zelfborend panhead binnenvierk DIN7504M 4.2 x 63 gh vz	200	2.000	vs 244.42063.1022	8712543011857	8712543015336	200	1.600
344.48013.1022	8712543062071	8712543062088	Zelfborend panhead binnenvierk DIN7504M 4.8 x 13 gh vz	200	6.000	vs 244.48013.1022	8712543011864	8712543015343	200	9.600
344.48016.1022	8712543062095	8712543062101	Zelfborend panhead binnenvierk DIN7504M 4.8 x 16 gh vz	200	6.000	vs 244.48016.1022	8712543011871	8712543015350	200	9.600
344.48019.1022	8712543062118	8712543062125	Zelfborend panhead binnenvierk DIN7504M 4.8 x 19 gh vz	200	6.000	vs 244.48019.1022	8712543011888	8712543015367	200	9.600
344.48025.1022	8712543062132	8712543062149	Zelfborend panhead binnenvierk DIN7504M 4.8 x 25 gh vz	200	6.000	vs 244.48025.1022	8712543011895	8712543015374	200	9.600
344.48032.1022	8712543062156	8712543062163	Zelfborend panhead binnenvierk DIN7504M 4.8 x 32 gh vz	200	4.000	vs 244.48032.1022	8712543011901	8712543015381	200	7.200
344.48038.1022	8712543062170	8712543062187	Zelfborend panhead binnenvierk DIN7504M 4.8 x 38 gh vz	200	2.000	vs 244.48038.1022	8712543011918	8712543015398	200	7.200
344.48050.1022	8712543062194	8712543062200	Zelfborend panhead binnenvierk DIN7504M 4.8 x 50 gh vz	200	2.000	vs 244.48050.1022	8712543011925	8712543015404	200	2.400
344.55019.1022	8712543062217	8712543062224	Zelfborend panhead binnenvierk DIN7504M 5.5 x 19 gh vz	200	4.000	vs 244.55019.1022	8712543011932	8712543015411	200	2.400
345.35009.1022	8712543062231	8712543062248	Zelfborende schroeven zeskant DIN7504K USA 3.5 x 9,5 gh vz	200	6.000	vs 245.35009.1022	8712543011949	8712543015428	200	21.000
345.35013.1022	8712543062255	8712543062262	Zelfborende schroeven zeskant DIN7504K USA 3.5 x 13 gh vz	200	6.000	vs 245.35013.1022	8712543011956	8712543015435	200	21.000
345.35016.1022	8712543062279	8712543062286	Zelfborende schroeven zeskant DIN7504K USA 3.5 x 16 gh vz	200	6.000	vs 245.35016.1022	8712543011963	8712543015442	200	21.000
345.35019.1022	8712543062293	8712543062309	Zelfborende schroeven zeskant DIN7504K USA 3.5 x 19 gh vz	200	6.000	vs 245.35019.1022	8712543011970	8712543015459	200	9.600
345.35025.1022	8712543062316	8712543062323	Zelfborende schroeven zeskant DIN7504K USA 3.5 x 25 gh vz	200	6.000	vs 245.35025.1022	8712543011987	8712543015466	200	9.600
345.35032.1022	8712543062330	8712543062347	Zelfborende schroeven zeskant DIN7504K USA 3.5 x 32 gh vz	200	6.000	vs 245.35032.1022	8712543011994	8712543015473	200	9.600
345.42013.1022	8712543062354	8712543062361	Zelfborende schroeven zeskant DIN7504K USA 4.2 x 13 gh vz	200	6.000	vs 245.42013.1022	8712543012007	8712543015480	200	9.600
345.42016.1022	8712543062378	8712543062385	Zelfborende schroeven zeskant DIN7504K USA 4.2 x 16 gh vz	200	6.000	vs 245.42016.1022	8712543012014	8712543015497	200	9.600
345.42019.1022	8712543062392	8712543062408	Zelfborende schroeven zeskant DIN7504K USA 4.2 x 19 gh vz	200	6.000	vs 245.42019.1022	8712543012021	8712543015503	200	7.200
345.42025.1022	8712543062415	8712543062422	Zelfborende schroeven zeskant DIN7504K USA 4.2 x 25 gh vz	200	6.000	vs 245.42025.1022	8712543012038	8712543015510	200	2.400
345.42032.1022	8712543062439	8712543062446	Zelfborende schroeven zeskant DIN7504K USA 4.2 x 32 gh vz	200	6.000	vs 245.42032.1022	8712543012045	8712543015527	200	2.400
345.42038.1022	8712543062453	8712543062460	Zelfborende schroeven zeskant DIN7504K USA 4.2 x 38 gh vz	200	4.000	vs 245.42038.1022	8712543012052	8712543015534	200	1.600
345.48013.1022	8712543062477	8712543062484	Zelfborende schroeven zeskant DIN7504K USA 4.8 x 13 gh vz	200	6.000	vs 245.48013.1022	8712543012069	8712543015541	200	9.600
345.48016.1022	8712543062491	8712543062507	Zelfborende schroeven zeskant DIN7504K USA 4.8 x 16 gh vz	200	4.000	vs 245.48016.1022	8712543012076	8712543015558	200	9.600
345.48019.1022	8712543062514	8712543062521	Zelfborende schroeven zeskant DIN7504K USA 4.8 x 19 gh vz	200	4.000	vs 245.48019.1022	8712543012083	8712543015565	200	9.600
345.48025.1022	8712543062538	8712543062545	Zelfborende schroeven zeskant DIN7504K USA 4.8 x 25 gh vz	200	4.000	vs 245.48025.1022	8712543012090	8712543015572	200	9.600
345.48032.1022	8712543062552	8712543062569	Zelfborende schroeven zeskant DIN7504K USA 4.8 x 32 gh vz	200	4.000	vs 245.48032.1022	8712543012106	8712543015589	200	7.200
345.48038.1022	8712543062576	8712543062583	Zelfborende schroeven zeskant DIN7504K USA 4.8 x 38 gh vz	200	2.000	vs 245.48038.1022	8712543012113	8712543015596	200	7.200
345.55019.1022	8712543062590	8712543062606	Zelfborende schroeven zeskant DIN7504K USA 5.5 x 19 gh vz	200	4.000	vs 245.55019.1022	8712543012120	8712543015602	200	2.400
345.55022.1022	8712543062613	8712543062620	Zelfborende schroeven zeskant DIN7504K USA 5.5 x 22 gh vz	200	4.000	vs 245.55022.1022	8712543012137	8712543015619	200	2.400
345.55025.1022	8712543062637	8712543062644	Zelfborende schroeven zeskant DIN7504K USA 5.5 x 25 gh vz	200	2.000	vs 245.55025.1022	8712543012144	8712543015626	200	2.400
345.55032.1022	8712543062651	8712543062668	Zelfborende schroeven zeskant DIN7504K USA 5.5 x 32 gh vz	200	2.000	vs 245.55032.1022	8712543012151	8712543015633	200	2.400
345.55038.1022	8712543062675	8712543062682	Zelfborende schroeven zeskant DIN7504K USA 5.5 x 38 gh vz	200	2.000	vs 245.55038.1022	8712543012168	8712543015640	200	1.600
345.55050.1022	8712543062699	8712543062705	Zelfborende schroeven zeskant DIN7504K USA 5.5 x 50 gh vz	200	2.000	vs 245.55050.1022	8712543012175	8712543015657	200	1.600
345.55063.1022	8712543062712	8712543062729	Zelfborende schroeven zeskant DIN7504K USA 5.5 x 63 gh vz	200	1.600	vs 245.55063.1022	8712543012182	8712543015664	200	1.600
345.55075.1022	8712543062736	8712543062743	Zelfborende schroeven zeskant DIN7504K USA 5.5 x 75 gh vz	200	1.600	vs 245.55075.1022	8712543012199	8712543015671	200	2.200
345.63019.1022	8712543062750	8712543062767	Zelfborende schroeven zeskant DIN7504K USA 6.3 x 19 gh vz	200	2.000	vs 245.63019.1022	8712543012205	8712543015688	200	2.400
345.63025.1022	8712543062774	8712543062781	Zelfborende schroeven zeskant DIN7504K USA 6.3 x 25 gh vz	200	2.000	vs 245.63025.1022	8712543012212	8712543015695	200	1.600
345.63032.1022	8712543062798	8712543062804	Zelfborende schroeven zeskant DIN7504K USA 6.3 x 32 gh vz	200	2.000	vs 245.63032.1022	8712543012229	8712543015701	200	1.600
345.63038.1022	8712543062811	8712543062828	Zelfborende schroeven zeskant DIN7504K USA 6.3 x 38 gh vz	200	1.600	vs 245.63038.1022	8712543012236	8712543015718	200	1.600
345.63050.1022	8712543062835	8712543062842	Zelfborende schroeven zeskant DIN7504K USA 6.3 x 50 gh vz	200	1.200	vs 245.63050.1022	8712543012243	8712543015725	200	2.200
345.63063.1022	8712543062859	8712543062866	Zelfborende schroeven zeskant DIN7504K USA 6.3 x 63 gh vz	200	1.200	vs 245.63063.1022	8712543012250	8712543015732	200	2.200
345.63075.1022	8712543062873	8712543062880	Zelfborende schroeven zeskant DIN7504K USA 6.3 x 75 gh vz	200	1.200	vs 245.63075.1022	8712543012267	8712543015749	200	2.200
346.35009.1022	8712543062897	8712543062903	Zelfborende schroeven zeskant DIN7504K 3.5 x 9,5 gh vz	200	6.000	vs 246.35009.1022	8712543012274	8712543015756	200	21.000
346.35013.1022	8712543062910	8712543062927	Zelfborende schroeven zeskant DIN7504K 3.5 x 13 gh vz	200	6.000	vs 246.35013.1022	8712543012281	8712543015763	200	21.000
346.35016.1022	8712543062934	8712543062941	Zelfborende schroeven zeskant DIN7504K 3.5 x 16 gh vz	200	6.000	vs 246.35016.1022	8712543012298	8712543015770	200	21.000
346.35019.1022	8712543062958	8712543062965	Zelfborende schroeven zeskant DIN7504K 3.5 x 19 gh vz	200	6.000	vs 246.35019.1022	8712543012304	8712543015787	200	9.600
346.35025.1022	8712543062972	8712543062989	Zelfborende schroeven zeskant DIN7504K 3.5 x 25 gh vz	200	6.000	vs 246.35025.1022	8712543012311	8712543015794	200	9.600
346.35032.1022	8712543062996	8712543063003	Zelfborende schroeven zeskant DIN7504K 3.5 x 32 gh vz	200	6.000	vs 246.35032.1022	8712543012328	8712543015800	200	9.600
346.42013.1022	8712543063016	8712543063023	Zelfborende schroeven zeskant DIN7504K 4.2 x 13 gh vz	200	6.000	vs 246.42013.1022	8712543012335	8712543015817	200	9.600
346.42016.1022	8712543063030	8712543063047	Zelfborende schroeven zeskant DIN7504K 4.2 x 16 gh vz	200	6.000	vs 246.42016.1022	8712543012342	8712543015824	200	9.600
346.42019.1022	8712543063054	8712543063061	Zelfborende schroeven zeskant DIN7504K 4.2 x 19 gh vz	200	6.000	vs 246.42019.1022	8712543012359	8712543015831	200	7.200

Nieuw artikelnummer	EAN code ds	EAN code overdoos	Artikelnaam	Nieuw ds aantal	Nieuw overds aantal			EAN code overds DTL	DTL ds aantal	DTL overds aantal	
						DTL artikel nr	EAN code ds DTL				
346.42025.1022	8712543063078	8712543063085	Zelfborende schroeven zeskant DIN7504K 4.2 x 25 gh vz	200	4.000	vs	246.42025.1022	8712543012366	8712543015848	200	2.400
346.42032.1022	8712543063092	8712543063108	Zelfborende schroeven zeskant DIN7504K 4.2 x 32 gh vz	200	6.000	vs	246.42032.1022	8712543012373	8712543015855	200	2.400
346.42038.1022	8712543063115	8712543063122	Zelfborende schroeven zeskant DIN7504K 4.2 x 38 gh vz	200	4.000	vs	246.42038.1022	8712543012380	8712543015862	200	1.600
346.48025.1022	8712543063139	8712543063146	Zelfborende schroeven zeskant DIN7504K 4.8 x 25 gh vz	200	4.000	vs	246.48025.1022	8712543013660	8712543015909	200	7.200
346.48038.1022	8712543063153	8712543063160	Zelfborende schroeven zeskant DIN7504K 4.8 x 38 gh vz	200	2.000	vs	246.48038.1022	8712543013684	8712543015923	200	7.200
346.55019.1022	8712543063177	8712543063184	Zelfborende schroeven zeskant DIN7504K 5.5 x 19 gh vz	200	4.000	vs	246.55019.1022	8712543013691	8712543015930	200	2.400
346.55022.1022	8712543063191	8712543063207	Zelfborende schroeven zeskant DIN7504K 5.5 x 22 gh vz	200	4.000	vs	246.55022.1022	8712543013707	8712543015947	200	2.400
346.55025.1022	8712543063214	8712543063221	Zelfborende schroeven zeskant DIN7504K 5.5 x 25 gh vz	200	2.000	vs	246.55025.1022	8712543013714	8712543015954	200	2.400
346.63016.1022	8712543063238	8712543063245	Zelfborende schroeven zeskant DIN7504K 6.3 x 16 gh vz	200	4.000	vs	246.63016.1022	8712543616007	8712543712853	200	2.400
346.63019.1022	8712543063252	8712543063269	Zelfborende schroeven zeskant DIN7504K 6.3 x 19 gh vz	200	2.000	vs	246.63019.1022	8712543013776	8712543016012	200	2.400
346.63025.1022	8712543063276	8712543063283	Zelfborende schroeven zeskant DIN7504K 6.3 x 25 gh vz	200	2.000	vs	246.63025.1022	8712543013783	8712543016029	200	1.600
346.63032.1022	8712543063290	8712543063306	Zelfborende schroeven zeskant DIN7504K 6.3 x 32 gh vz	200	2.000	vs	246.63032.1022	8712543013790	8712543016036	200	1.600
346.63038.1022	8712543063313	8712543063320	Zelfborende schroeven zeskant DIN7504K 6.3 x 38 gh vz	200	1.600	vs	246.63038.1022	8712543013806	8712543016043	200	1.600
346.63050.1022	8712543063337	8712543063344	Zelfborende schroeven zeskant DIN7504K 6.3 x 50 gh vz	200	1.200	vs	246.63050.1022	8712543616014	8712543712860	200	2.200
346.63063.1022	8712543063351	8712543063368	Zelfborende schroeven zeskant DIN7504K 6.3 x 63 gh vz	200	1.200	vs	246.63063.1022	8712543013813	8712543016050	200	2.200
346.63075.1022	8712543063375	8712543063382	Zelfborende schroeven zeskant DIN7504K 6.3 x 75 gh vz	200	1.200	vs	246.63075.1022	8712543013820	8712543016067	200	2.200
348.35025.1430	8712543057015	8712543057022	Zelfborende schroeven trompetkop 3.5 x 25 gh fosf. zw.	1.000	20.000	vs	248.35025.1430	8712543626006	8712543704209	1.000	8.000
348.35035.1430	8712543057039	8712543057046	Zelfborende schroeven trompetkop 3.5 x 35 gh fosf. zw.	1.000	10.000	vs	248.35035.1430	8712543626013	8712543704216	1.000	10.000
348.35045.1430	8712543057053	8712543057060	Zelfborende schroeven trompetkop 3.5 x 45 gh fosf. zw.	1.000	10.000	vs	248.35045.1430	8712543626020	8712543704223	1.000	6.000
348.35055.1430	8712543057077	8712543057084	Zelfborende schroeven trompetkop 3.5 x 55 gh fosf. zw.	1.000	6.000	vs	248.35055.1430	8712543626037	8712543704230	1.000	4.000
350.60060.1018	8712543057091	8712543057107	Afstandschroeven 6.0 x 60 staal verzinkt	50	1.500	vs	250.60060.1018	8712543638351	8712543704247	50	1.800
350.60080.1018	8712543057114	8712543057121	Afstandschroeven 6.0 x 80 staal verzinkt	50	1.500	vs	250.60080.1018	8712543638368	8712543704254	50	1.800
350.60100.1018	8712543057138	8712543057145	Afstandschroeven 6.0 x 100 staal verzinkt	50	1.000	vs	250.60100.1018	8712543638375	8712543704261	50	600
350.60120.1018	8712543057152	8712543057169	Afstandschroeven 6.0 x 120 staal verzinkt	50	500	vs	250.60120.1018	8712543638382	8712543704278	50	600
350.60150.1018	8712543057176	8712543057183	Afstandschroeven 6.0 x 150 staal verzinkt	50	500	vs	250.60150.1018	8712543638399	8712543704285	50	600
350.60180.1018	8712543057190	8712543057206	Afstandschroeven 6.0 x 180 staal verzinkt	50	400	vs	250.60180.1018	8712543638405	8712543704292	50	550
350.60200.1018	8712543057213	8712543057220	Afstandschroeven 6.0 x 200 staal verzinkt	50	400	vs	250.60200.1018	8712543638412	8712543704308	50	550
350.60250.1018	8712543057237	8712543057244	Afstandschroeven 6.0 x 250 staal verzinkt	50	300	vs	250.60250.1018	8712543638429	8712543704315	50	300
350.60300.1013	8712543057251	8712543057268	Afstandschroeven 6.0 x 300 staal verzinkt	25	150	vs	250.60300.1013	8712543638436	8712543016166	25	100
351.60120.1018	8712543057275	8712543057282	Afstandschroeven 6.0 x 120 staal verzinkt	50	500	vs	251.60120.1018	8712543638443	8712543704322	50	600
351.60150.1018	8712543057299	8712543057305	Afstandschroeven 6.0 x 150 staal verzinkt	50	500	vs	251.60150.1018	8712543638450	8712543704339	50	600
351.60180.1018	8712543057312	8712543057329	Afstandschroeven 6.0 x 180 staal verzinkt	50	400	vs	251.60180.1018	8712543638467	8712543704346	50	550
352.75042.1019	8712543057336	8712543057343	Kozijschroeven platkop 7.5 x 42 staal gehard verzinkt	75	750	vs	252.75042.1019	8712543041311	8712543041519	75	2.700
352.75052.1019	8712543057350	8712543057367	Kozijschroeven platkop 7.5 x 52 staal gehard verzinkt	75	750	vs	252.75052.1019	8712543034788	8712543035020	75	2.700
352.75062.1019	8712543057374	8712543057381	Kozijschroeven platkop 7.5 x 62 staal gehard verzinkt	75	750	vs	252.75062.1019	8712543034801	8712543035037	75	900
352.75072.1019	8712543057398	8712543057404	Kozijschroeven platkop 7.5 x 72 staal gehard verzinkt	75	750	vs	252.75072.1019	8712543034542	8712543034665	75	900
352.75082.1019	8712543057411	8712543057428	Kozijschroeven platkop 7.5 x 82 staal gehard verzinkt	75	750	vs	252.75082.1019	8712543034825	8712543035044	75	900
352.75092.1019	8712543057435	8712543057442	Kozijschroeven platkop 7.5 x 92 staal gehard verzinkt	75	750	vs	252.75092.1019	8712543034559	8712543034672	75	600
352.75102.1019	8712543057459	8712543057466	Kozijschroeven platkop 7.5 x 102 staal gehard verzinkt	75	750	vs	252.75102.1019	8712543041328	8712543041526	75	600
352.75112.1019	8712543057473	8712543057480	Kozijschroeven platkop 7.5 x 112 staal gehard verzinkt	75	600	vs	252.75112.1019	8712543034566	8712543034689	75	600
352.75122.1019	8712543057497	8712543057503	Kozijschroeven platkop 7.5 x 122 staal gehard verzinkt	75	600	vs	252.75122.1019	8712543041335	8712543041533	75	825
352.75132.1019	8712543057510	8712543057527	Kozijschroeven platkop 7.5 x 132 staal gehard verzinkt	75	600	vs	252.75132.1019	8712543034573	8712543034696	75	825
352.75152.1019	8712543057534	8712543057541	Kozijschroeven platkop 7.5 x 152 staal gehard verzinkt	75	600	vs	252.75152.1019	8712543034580	8712543034702	75	825
352.75182.1019	8712543057558	8712543057565	Kozijschroeven platkop 7.5 x 182 staal gehard verzinkt	75	600	vs	252.75182.1019	8712543034597	8712543034719	75	825
352.75212.1019	8712543057572	8712543057589	Kozijschroeven platkop 7.5 x 212 staal gehard verzinkt	75	450	vs	252.75212.1019	8712543041342	8712543041540	75	450
352.75252.1019	8712543057596	8712543057602	Kozijschroeven platkop 7.5 x 252 staal gehard verzinkt	75	450	vs	252.75252.1019	8712543041359	8712543041557	75	300
353.75052.1019	8712543063399	8712543063405	Kozijschroeven cilinderkop 7.5 x 52 staal gehard verzinkt	75	750	vs	253.75052.1019	8712543034849	8712543035051	75	2.700
353.75072.1019	8712543057619	8712543057626	Kozijschroeven cilinderkop 7.5 x 72 staal gehard verzinkt	75	750	vs	253.75072.1019	8712543034603	8712543034726	75	900
353.75092.1019	8712543057633	8712543057640	Kozijschroeven cilinderkop 7.5 x 92 staal gehard verzinkt	75	750	vs	253.75092.1019	8712543034610	8712543034733	75	600
353.75182.1019	8712543057657	8712543057664	Kozijschroeven cilinderkop 7.5 x 182 staal gehard verzinkt	75	600	vs	253.75182.1019	8712543034658	8712543034771	75	825
353.76042.1019	8712543057671	8712543057688	Kozijschroeven cilinderkop 7.5 x 42 staal gehard verzinkt	75	750	vs	253.76042.1019	8712543041366	8712543041564	75	2.700
353.76052.1019	8712543057695	8712543057701	Kozijschroeven cilinderkop 7.5 x 52 staal gehard verzinkt	75	750	vs	253.76052.1019	8712543039707	8712543040123	75	2.700
353.76062.1019	8712543057718	8712543057725	Kozijschroeven cilinderkop 7.5 x 62 staal gehard verzinkt	75	750	vs	253.76062.1019	8712543039714	8712543040130	75	900
353.76072.1019	8712543057732	8712543057749	Kozijschroeven cilinderkop 7.5 x 72 staal gehard verzinkt	75	750	vs	253.76072.1019	8712543039721	8712543040147	75	900
353.76082.1019	8712543057756	8712543057763	Kozijschroeven cilinderkop 7.5 x 82 staal gehard verzinkt	75	750	vs	253.76082.1019	8712543039738	8712543040154	75	900

Nieuw artikelnummer	EAN code ds	EAN code overdoos	Artikelnaam	Nieuw ds aantal	Nieuw overds aantal		DTL artikel nr	EAN code ds DTL	EAN code overds DTL	DTL ds aantal	DTL overds aantal
353.76092.1019	8712543057770	8712543057787	Kozijschroeven cilinderkop 7.5 x 92 staal gehard verzinkt	75	750	vs	253.76092.1019	8712543039745	8712543040161	75	600
353.76102.1019	8712543057794	8712543057800	Kozijschroeven cilinderkop 7.5 x 102 staal gehard verzinkt	75	750	vs	253.76102.1019	8712543041373	8712543041571	75	600
353.76112.1019	8712543057817	8712543057824	Kozijschroeven cilinderkop 7.5 x 112 staal gehard verzinkt	75	600	vs	253.76112.1019	8712543039752	8712543040178	75	600
353.76122.1019	8712543057831	8712543057848	Kozijschroeven cilinderkop 7.5 x 122 staal gehard verzinkt	75	600	vs	253.76122.1019	8712543041380	8712543041588	75	825
353.76132.1019	8712543057855	8712543057862	Kozijschroeven cilinderkop 7.5 x 132 staal gehard verzinkt	75	600	vs	253.76132.1019	8712543039769	8712543040185	75	825
353.76152.1019	8712543057879	8712543057886	Kozijschroeven cilinderkop 7.5 x 152 staal gehard verzinkt	75	600	vs	253.76152.1019	8712543039776	8712543040192	75	825
353.76182.1019	8712543057893	8712543057909	Kozijschroeven cilinderkop 7.5 x 182 staal gehard verzinkt	75	600	vs	253.76182.1019	8712543039783	8712543040208	75	825
353.76212.1019	8712543057916	8712543057923	Kozijschroeven cilinderkop 7.5 x 212 staal gehard verzinkt	75	450	vs	253.76212.1019	8712543041397	8712543041595	75	450
353.76252.1019	8712543057930	8712543057947	Kozijschroeven cilinderkop 7.5 x 252 staal gehard verzinkt	75	450	vs	253.76252.1019	8712543041403	8712543041601	75	300
356.48251.9022	8712543057954	8712543057961	HPL-plaatschroeven 4.8 x 25 RVS A2 wit RAL 9010	200	4.000	vs	256.48251.9022	8712543041816	8712543041977	200	7.600
356.48252.9022	8712543057978	8712543057985	HPL-plaatschroeven 4.8 x 25 RVS A2 crème RAL 9001	200	4.000	vs	256.48252.9022	8712543041823	8712543041984	200	7.600
356.48253.9022	8712543057992	8712543058005	HPL-plaatschroeven 4.8 x 25 RVS A2 zwart RAL 9005	200	4.000	vs	256.48253.9022	8712543041830	8712543041991	200	7.600
356.48254.9022	8712543058012	8712543058029	HPL-plaatschroeven 4.8 x 25 RVS A2 antraciet RAL 7016	200	4.000	vs	256.48254.9022	8712543041847	8712543042004	200	7.200
356.48255.9022	8712543058036	8712543058043	HPL-plaatschroeven 4.8 x 25 RVS A2 groen RAL 6009	200	4.000	vs	256.48255.9022	8712543041854	8712543042011	200	7.200
356.48321.9022	8712543058050	8712543058067	HPL-plaatschroeven 4.8 x 32 RVS A2 wit RAL 9010	200	6.000	vs	256.48321.9022	8712543041861	8712543042028	200	2.400
356.48322.9022	8712543058074	8712543058081	HPL-plaatschroeven 4.8 x 32 RVS A2 crème RAL 9001	200	6.000	vs	256.48322.9022	8712543041878	8712543042035	200	2.400
356.48323.9022	8712543058098	8712543058104	HPL-plaatschroeven 4.8 x 32 RVS A2 zwart RAL 9005	200	6.000	vs	256.48323.9022	8712543041885	8712543042042	200	2.400
356.48324.9022	8712543058111	8712543058128	HPL-plaatschroeven 4.8 x 32 RVS A2 antraciet RAL 7016	200	6.000	vs	256.48324.9022	8712543041892	8712543042059	200	2.400
356.48381.9022	8712543058135	8712543058142	HPL-plaatschroeven 4.8 x 38 RVS A2 wit RAL 9010	200	2.000	vs	256.48381.9022	8712543041915	8712543042073	200	2.400
356.48382.9022	8712543058159	8712543058166	HPL-plaatschroeven 4.8 x 38 RVS A2 crème RAL 9001	200	2.000	vs	256.48382.9022	8712543041922	8712543042080	200	2.400
356.48383.9022	8712543058173	8712543058180	HPL-plaatschroeven 4.8 x 38 RVS A2 zwart RAL 9005	200	2.000	vs	256.48383.9022	8712543041939	8712543042097	200	2.400
356.48384.9022	8712543058197	8712543058203	HPL-plaatschroeven 4.8 x 38 RVS A2 antraciet RAL 7016	200	2.000	vs	256.48384.9022	8712543041946	8712543042103	200	2.400
356.48385.9022	8712543058210	8712543058227	HPL-plaatschroeven 4.8 x 38 RVS A2 groen RAL 6009	200	2.000	vs	256.48385.9022	8712543041953	8712543042110	200	2.400
359.05030.0120	8712543058234	8712543058241	Nagelpluggen nagel gehard 5.0 x 30 nylon	100	2.000	vs	259.05030.0120	8712543644277	8712543704353	100	800
359.05040.0120	8712543058258	8712543058265	Nagelpluggen nagel gehard 5.0 x 40 nylon	100	2.000	vs	259.05040.0120	8712543644284	8712543704360	100	800
359.05050.0120	8712543058272	8712543058289	Nagelpluggen nagel gehard 5.0 x 50 nylon	100	2.000	vs	259.05050.0120	8712543644291	8712543704377	100	800
359.06030.0120	8712543058296	8712543058302	Nagelpluggen nagel gehard 6.0 x 30 nylon	100	2.000	vs	259.06030.0120	8712543655228	8712543655235	100	1.100
359.06040.0120	8712543058319	8712543058326	Nagelpluggen nagel gehard 6.0 x 40 nylon	100	2.000	vs	259.06040.0120	8712543644307	8712543704384	100	1.100
359.06060.0120	8712543058333	8712543058340	Nagelpluggen nagel gehard 6.0 x 60 nylon	100	2.000	vs	259.06060.0120	8712543644314	8712543704391	100	1.100
359.06080.0120	8712543058357	8712543058364	Nagelpluggen nagel gehard 6.0 x 80 nylon	100	1.000	vs	259.06080.0120	8712543644321	8712543704407	100	1.100
359.08060.0118	8712543058371	8712543058388	Nagelpluggen nagel gehard 8.0 x 60 nylon	50	1.000	vs	259.08060.0118	8712543644338	8712543704414	50	550
359.08080.0118	8712543058395	8712543058401	Nagelpluggen nagel gehard 8.0 x 80 nylon	50	500	vs	259.08080.0118	8712543644345	8712543704421	50	550
359.08100.0118	8712543058418	8712543058425	Nagelpluggen nagel gehard 8.0 x 100 nylon	50	500	vs	259.08100.0118	8712543644352	8712543704438	50	300
359.08120.0118	8712543058432	8712543058449	Nagelpluggen nagel gehard 8.0 x 120 nylon	50	500	vs	259.08120.0118	8712543644369	8712543704445	50	300
359.08140.0118	8712543058456	8712543058463	Nagelpluggen nagel gehard 8.0 x 140 nylon	50	500	vs	259.08140.0118	8712543644376	8712543704452	50	300
369.42025.1020	8712543063733	8712543063740	Montageschroeven grove draad 4.2 x 25 staal gehard verzinkt	100	3.000	vs	269.42025.1020	8712543618421	8712543618728	100	4.800
369.42025.1028	8712543063757	8712543063764	Montageschroeven grove draad 4.2 x 25 staal gehard verzinkt	500	5.000	vs	269.42025.1028	8712543618438	8712543618735	500	6.000
369.42025.1030	8712543063771	8712543063788	Montageschroeven grove draad 4.2 x 25 staal gehard verzinkt	1.000	10.000	vs	269.42025.1030	8712543618445	8712543618742	1.000	8.000
369.42032.1020	8712543063795	8712543063801	Montageschroeven grove draad 4.2 x 32 staal gehard verzinkt	100	3.000	vs	269.42032.1020	8712543618452	8712543618766	100	4.800
369.42032.1028	8712543063818	8712543063825	Montageschroeven grove draad 4.2 x 32 staal gehard verzinkt	500	5.000	vs	269.42032.1028	8712543618469	8712543618773	500	4.000
369.42032.1030	8712543063832	8712543063849	Montageschroeven grove draad 4.2 x 32 staal gehard verzinkt	1.000	10.000	vs	269.42032.1030	8712543618476	8712543618780	1.000	6.000
369.42038.1020	8712543063856	8712543063863	Montageschroeven grove draad 4.2 x 38 staal gehard verzinkt	100	3.000	vs	269.42038.1020	8712543618483	8712543618803	100	4.800
369.42038.1028	8712543063870	8712543063887	Montageschroeven grove draad 4.2 x 38 staal gehard verzinkt	500	5.000	vs	269.42038.1028	8712543618490	8712543618810	500	5.500
369.42038.1030	8712543063894	8712543063900	Montageschroeven grove draad 4.2 x 38 staal gehard verzinkt	1.000	10.000	vs	269.42038.1030	8712543618506	8712543618827	1.000	6.000
369.42051.1023	8712543063917	8712543063924	Montageschroeven grove draad 4.2 x 51 staal gehard verzinkt	250	2.500	vs	269.42051.1023	8712543618520	8712543618858	250	3.000
369.45040.1022	8712543063931	8712543063948	Scharnierschroeven platkop 4.5 x 40 staal gehard verzinkt	200	4.000	vs	269.45040.1022	8712543652920	8712543652937	200	2.400
370.50026.1022	8712543058470	8712543058487	Spanhulzen 5.0 x 26 staal gehard verzinkt	200	2.000	vs	270.50026.1022	8712543629076	8712543704469	200	2.000
370.50050.1022	8712543058517	8712543058524	Spanhulzen 5.0 x 50 staal gehard verzinkt	200	2.000	vs	270.50050.1022	8712543629083	8712543704483	200	2.000
370.60030.1022	8712543058531	8712543058548	Spanhulzen 6.0 x 30 staal gehard verzinkt	200	2.000	vs	270.60030.1022	8712543629090	8712543704506	200	2.000
370.60040.1022	8712543058555	8712543058562	Spanhulzen 6.0 x 40 staal gehard verzinkt	200	2.000	vs	270.60040.1022	8712543629106	8712543704513	200	2.000
370.60050.1022	8712543058579	8712543058586	Spanhulzen 6.0 x 50 staal gehard verzinkt	200	2.000	vs	270.60050.1022	8712543629113	8712543704537	200	2.000
370.60060.1022	8712543058593	8712543058609	Spanhulzen 6.0 x 60 staal gehard verzinkt	200	2.000	vs	270.60060.1022	8712543629120	8712543704544	200	2.000
370.60080.1022	8712543058616	8712543058623	Spanhulzen 6.0 x 80 staal gehard verzinkt	200	2.000	vs	270.60080.1022	8712543629137	8712543704551	200	2.000
370.80070.1020	8712543058630	8712543058647	Spanhulzen 8.0 x 70 staal gehard verzinkt	100	3.000	vs	270.80070.1020	8712543629144	8712543704568	100	1.000
370.80090.1020	8712543058654	8712543058661	Spanhulzen 8.0 x 90 staal gehard verzinkt	100	3.000	vs	270.80090.1020	8712543629151	8712543704575	100	1.000

Nieuw artikelnummer	EAN code ds	EAN code overdoos	Artikelnaam	Nieuw ds aantal	Nieuw overds aantal		DTL artikel nr	EAN code ds DTL	EAN code overds DTL	DTL ds aantal	DTL overds aantal
370.80110.1020	8712543058678	8712543058685	Spanhulzen 8.0 x 110 staal gehard verzinkt	100	2.000	vs	270.80110.1020	8712543629168	8712543704599	100	1.000
370.80130.1019	8712543058692	8712543058708	Spanhulzen 8.0 x 130 staal gehard verzinkt	75	1.500	vs	270.80130.1019	8712543629175	8712543704612	75	750
370.80150.1019	8712543058715	8712543058722	Spanhulzen 8.0 x 150 staal gehard verzinkt	75	750	vs	270.80150.1019	8712543629182	8712543704636	75	750
370.80180.1019	8712543058739	8712543058746	Spanhulzen 8.0 x 180 staal gehard verzinkt	75	750	vs	270.80180.1019	8712543016333	8712543016340	75	750
373.00042.1420	8712543058753	8712543058760	Plafond-ankers 8.0 x 42 gehard verenstaal gefosfateerd zwart	100	2.000	vs	273.00042.1420	8712543629953	8712543629960	100	1.200